

## OIL FILTER QUICK-REFERENCE GUIDE



### Albin

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
AD-21		<b>18-7878-1</b>	3875827	See Owners Manual	See Owners Manual

### B & W Lathrop

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
130155		<b>18-7875</b>		See Owners Manual	See Owners Manual

### Caterpillar

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
3304, 3306, D330		<b>18-7880</b>	1R-0658	See Owners Manual	See Owners Manual
3116, 3116TA, 3208, 3208T, 3208TA		<b>18-7927</b>	1R-0714	See Owners Manual	See Owners Manual

### Chris-Craft

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
307G, 305K,307K		<b>18-7824</b>	16.81-08746	See Owners Manual	See Owners Manual

### Chrysler

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
(Chrysler-Volvo) 100, 110, 120, 130, 165, 170		<b>18-7878-1</b> ①		See Owners Manual	See Owners Manual
125, 150, 155, 175, Fury 190, 195, 200, 210,225, 235, 250, 260, 280, 300, 330, 335, 375, 525, CM6-55, CMC-55NA, M-170A, M-225A, M-225D, M-273A, M-273B, M-273BO/D, LM-318, LM-318A, LM-318B, M-318B, M-318C, M-383B, M-413B, M-413D, M-413E, M-440B, M-440D, Model 340,M-80, M-81, Super Crown 145, 150, Imperial 290, 325, Jet II, Jet III, Jet IV, Super Bee, Super Bee II,Super Bee III, V-8 Engines 1962-on V-6 GM 3.7L, 5.2L		<b>18-7875</b>	1851658	See Owners Manual	See Owners Manual
		<b>18-7875</b>	1851658	See Owners Manual	See Owners Manual
		<b>18-7875</b>	1851658	See Owners Manual	See Owners Manual
		<b>18-7875</b>	1851658	See Owners Manual	See Owners Manual
		<b>18-7875</b>	1851658	See Owners Manual	See Owners Manual
		<b>18-7875</b>	1851658	See Owners Manual	See Owners Manual
		<b>18-7875</b>	1851658	See Owners Manual	See Owners Manual
		<b>18-7875</b>	1851658	See Owners Manual	See Owners Manual
		<b>18-7875</b>	1851658	See Owners Manual	See Owners Manual
		<b>18-7875</b>	1851658	See Owners Manual	See Owners Manual
		<b>18-7875</b>	1851658	See Owners Manual	See Owners Manual
		<b>18-7875</b>	1851658	See Owners Manual	See Owners Manual
		<b>18-7875</b>	1851658	See Owners Manual	See Owners Manual
		<b>18-7875</b>	1851658	See Owners Manual	See Owners Manual
		<b>18-7875</b>	1851658	See Owners Manual	See Owners Manual
		<b>18-7879</b>	L-319	See Owners Manual	See Owners Manual
		<b>18-7878-1</b>	3549957, L-19, L1008	See Owners Manual	See Owners Manual

### Commander

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
225, 340 Clevor		<b>18-7875</b>		See Owners Manual	See Owners Manual

### Crusader

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
150, 160,165, CH185, 210, CH220, CH270, 350, CH350		<b>18-7824</b>	201104	See Owners Manual	See Owners Manual
SS330		<b>18-7876</b> (Long), <b>18-7824</b> (Short)	201104	See Owners Manual	See Owners Manual
220 Conqueror,255 Conqueror, 255 Conqueror Jet, 250 (71), 300 Scorpion, 460		<b>18-7875</b>	9002514	See Owners Manual	See Owners Manual
220, 300, 320,325		<b>18-7878-1</b>		See Owners Manual	See Owners Manual
5.0L Carbureted (Classic)	1999 - 2008	<b>18-7875</b>	22679	See Owners Manual	API 15W-40 SM or Higher
5.7L Carbureted (Classic)	1999 - 2010	<b>18-7875</b>	22679	See Owners Manual	API 15W-40 SM or Higher
5.0L MPI (Captains Choice)	2004 - 2010	<b>18-7875</b>	22679	5.67L / 6.0 Qt.	API 15W-40 SM or Higher
5.7L MPI (Captains Choice)	2005 - 2010	<b>18-7875</b>	22679	5.67L / 6.0 Qt.	API 15W-40 SM or Higher
6.0L MPI (Captains Choice)	2006 - 2010	<b>18-7875</b>	22679	4.75L / 5.0 Qt.	API 15W-40 SM or Higher
7.4L MPI (Captains Choice)	All	<b>18-7875</b>	22679	See Owners Manual	API 15W-40 SM or Higher
8.1L MPI (Captains Choice)	2001 - 2010	<b>18-7875</b>	22679	6.65 L / 7.0 Qt.	API 15W-40 SM or Higher
8.1L MPI HO (Captains Choice)	2009 - 2010	<b>18-7875</b>	22679	6.65 L / 7.0 Qt.	API 15W-40 SM or Higher

All listed oil capacities are approximate amounts only and may or may not include the oil filter capacity. ALWAYS follow proper crankcase drain and fill procedures. Check engine dipstick for proper crankcase oil level.

### Detroit Diesel

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
2-71 (142), 3-71 (213), 4-53 (212), 4-71 (284), 6V-53 (318), 6-71 (426), 6-71E (426), 671N (426), 6-71T (426), 6V-71 (426), 6V-71T (426), 6V-92 (552), 6V-92T (522), 8V-71 (568), 8V-71T (568), 8V-92 (736), 8V-92T (736), 12V-71 (1788), 12V-71T (1788), 12V-149 (1788), 16V-71 (1136), 16V-71T (1136), 16V-92 (1472), 16V-92T (1472), 16V-149 (2384) Series		<b>18-7899</b>	25010495	See Owners Manual	See Owners Manual

### Evinrude/Johnson

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
4hp.	2003 - 2005	----	5033378	700 ml. / 23.6 oz.	10W40 Synthetic Blend FC-W
5hp.	2000 - 2001	----	449534	798 ml. / 27.0 oz.	10W40 Synthetic Blend FC-W
5hp.	2003 - 2005	----	449534	700 ml. / 23.6 oz.	10W40 Synthetic Blend FC-W
6hp.	1997 - 2004	----	449534	798 ml. / 27.0 oz.	10W40 Synthetic Blend FC-W
8hp.	1996 - 2004	----	449534	1000 ml. / 33.8 oz.	10W40 Synthetic Blend FC-W
9.9hp.	1997 - 1998	----	449534	1000 ml. / 33.8 oz.	10W40 Synthetic Blend FC-W
9.9-15 hp.(OMC Built; 305cc)	1995 - 2001	<b>18-7916</b>	434839	1272 ml. / 43 oz.	10W40 Synthetic Blend FC-W
9.9-15 hp.(302cc)	2002 - 2006	<b>18-7903</b>	5033102	1.1 L / 1.2 Qt.	10W40 Synthetic Blend FC-W
25-30 hp.	2003 - 2006	<b>18-7915-1</b>	778885 434839	3.2 L / 3.4 Qt.	10W40 Synthetic Blend FC-W
40-50 hp.	1999 - 2001	<b>18-7915-1</b>	778885 434839	2.4 L / 2.5 Qt.	10W40 Synthetic Blend FC-W
60-70 hp.	1998 - 2002	<b>18-7915-1</b>	778885 434839	4.5 L / 4.8 Qt.	10W40 Synthetic Blend FC-W
90-115 EFI	2003 - 2005	<b>18-7896</b>	778886 5033539	5.7 L / 6.0 Qt.	25W-40 Synthetic Blend FC-W
140 EFI	2003 - 2005	<b>18-7897</b>	778887 503919	5.7 L / 6.0 Qt.	25W-40 Synthetic Blend FC-W
200-225	2004 - 2005	<b>18-7895</b>	778888 5035703	8.2 L / 8.7 Qt.	25W-40 Synthetic Blend FC-W

### Fischer Panda

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
PMS 8 Mini		<b>23-7804</b>	SE15853-99170	2.5L / 2.64 Qt.	15W-40 API CF or Higher
PMS 8 DP		<b>23-7804</b>	SE15853-99170	2.5L / 2.64 Qt.	15W-40 API CF or Higher
PMS 4200		<b>23-7804</b>	SE15853-99170	1L / 1.05 Qt.	15W-40 API CF or Higher
PMS 6500		<b>23-7804</b>	SE15853-99170	2.5L / 2.64 Qt.	15W-40 API CF or Higher
PMS 12 DP		<b>23-7804</b>	SE15853-99170	3.8L / 4.0 Qt.	15W-40 API CF or Higher
PMS 12 Mini		<b>23-7804</b>	SE15853-99170	3.8L / 4.0 Qt.	15W-40 API CF or Higher
PMS 16 DP		<b>23-7842</b>		See Owners Manual	15W-40 API CF or Higher
PMS 22		<b>23-7842</b>		See Owners Manual	15W-40 API CF or Higher

### Flagship

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
150FA, 220FF, 250FA, 400FA,		<b>18-7824</b>		See Owners Manual	See Owners Manual

All listed oil capacities are approximate amounts only and may or may not include the oil filter capacity.  
**ALWAYS** follow proper crankcase drain and fill procedures. Check engine dipstick for proper crankcase oil level.

## OIL FILTER QUICK-REFERENCE GUIDE



### Flagship Continued

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
425FAJ, 650FAJ, 950FAJ		<b>18-7824</b>		See Owners Manual	See Owners Manual
292, 300, 307, 327, 350, 482		<b>18-7824</b> (Short) <b>18-7876</b> (Long)		See Owners Manual	See Owners Manual

### Ford

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
CSG850M WSG858M,LSG875M,		<b>18-7875</b>		See Owners Manual	See Owners Manual
SSD-655,-655M, -655MT, (5.5 Liter),		<b>18-7875</b>		See Owners Manual	See Owners Manual
140(2.3L) FOUR, 170, 200 Six, 240 Six,		<b>18-7875</b>		See Owners Manual	See Owners Manual
300 Six, 302 (5.0L),351 (5.8L),		<b>18-7875</b>		See Owners Manual	See Owners Manual
460 (7.5L),2711E, 2712E, 2713E,		<b>18-7875</b>		See Owners Manual	See Owners Manual
2714E, 2715E (diesel)		<b>18-7875</b>		See Owners Manual	See Owners Manual
254 (DSD-442 4.2 Liter), 362		<b>18-7875</b>		See Owners Manual	See Owners Manual
(DSD-659 5.9 Liter)		<b>18-7875</b>		See Owners Manual	See Owners Manual
91—V4, 104 V4, 380 (DSD-662 6.2 Liter)		<b>18-7878-1</b>		See Owners Manual	See Owners Manual

### GM

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
IL6-194	1962 - 1967	<b>18-7876</b>		See Owners Manual	See Owners Manual
IL6-230	1963 - 1968	<b>18-7876</b>		See Owners Manual	See Owners Manual
267	1979 - 1981	<b>18-7876</b>		See Owners Manual	See Owners Manual
305	1976 - 1987	<b>18-7876</b>		See Owners Manual	See Owners Manual
307	1970 - 1973	<b>18-7876</b>		See Owners Manual	See Owners Manual
350	1970 - 1987	<b>18-7876</b>		See Owners Manual	See Owners Manual
366	1970 - 1987	<b>18-7876</b>		See Owners Manual	See Owners Manual
400	1971 - 1972	<b>18-7876</b>		See Owners Manual	See Owners Manual
400	1975 - 1983	<b>18-7876</b>		See Owners Manual	See Owners Manual
454	1973 - 1987	<b>18-7876</b>		See Owners Manual	See Owners Manual
400	1974 - 1977	<b>18-7824</b>		See Owners Manual	See Owners Manual

### Greenwich

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
Porpoise (w/IH V8-275B)		<b>18-7875</b>		See Owners Manual	See Owners Manual

### Honda

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
BF2A	All	----	----	0.40 L / 0.42 Qt.	10W-30 FC-W
BF2D	All	----	----	0.25 L / 0.26 Qt.	10W-30 FC-W
BF5	All	----	----	0.55 L / 0.58 Qt.	10W-30 FC-W
BF75 (7.5hp)	All	----	----	0.76 L / 0.80 Qt.	10W-30 FC-W
BF8 / BFP8	2001 - Current	<b>18-7913</b>	15400-PFB-014		
			15400-PFB-004	0.76 L / 0.80 Qt.	10W-30 FC-W
BF9.9 / BFP9.9	2001 - Current	<b>18-7913</b>	15400-PFB-014		
			15400-PFB-004	1.1L / 1.2 Qt.	10W-30 FC-W
BF100 (10 hp.)		----	----	0.76 L / 0.80 Qt.	10W-40 FC-W
BF15 / BFP15	2003 - Current	<b>18-7913</b>	15400-PFB-014		
			15400-PFB-004	1.1L / 1.2 Qt.	10W-30 FC-W
BF20	2003 - Current	<b>18-7913</b>	15400-PFB-014		
			15400-PFB-004	1 L / 1.1 Qt.	10W-30 FC-W
BF25	1998 & Earlier	<b>18-7913</b>	15400-PFB-014		
			15400-PFB-004		
			15400-PM3-004		
			15400-PJ7-015	1.6L / 1.7 Qt.	10W-30 FC-W
BF25 ( Up to serial number 1003206 )	1999 - 2005	<b>18-7911-1</b>	15400-PFB-007	1.6L / 1.7 Qt.	10W-30 FC-W
BF25 ( Starting serial number 1003207 )	2005 - Current	<b>18-7913</b>	15400-PFB-014	1.6L / 1.7 Qt.	5W-30 FC-W

All listed oil capacities are approximate amounts only and may or may not include the oil filter capacity.  
ALWAYS follow proper crankcase drain and fill procedures. Check engine dipstick for proper crankcase oil level.

**Honda**

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
BF30	1998 & Earlier	<b>18-7913</b>	15400-PFB-014 15400-PFB-004 15400-PM3-004 15400-PJ7-015	1.6L / 1.7 Qt.	10W-30 FC-W
BF30 ( Up to serial number 1005016 )	1999 - 2005	<b>18-7911-1</b>	15400-PFB-007	1.6L / 1.7 Qt.	10W-30 FC-W
BF30 ( Starting serial number 1005017 )	2005 - Current	<b>18-7913</b>	15400-PFB-014	1.6L / 1.7 Qt.	5W-30 FC-W
BF35	1997	<b>18-7913</b>	15400-PFB-014 15400-PFB-004 15400-PM3-004 15400-PJ7-015	2.4L / 2.5 Qt.	10W-30 FC-W
BF40	1998 & Earlier	<b>18-7913</b>	15400-PFB-014 15400-PFB-004	2.4L / 2.5 Qt.	10W-30 FC-W
BF40 ( Up to serial number 3007642 )	1999 - 2005	<b>18-7911-1</b>	15400-PFB-007	2.4L / 2.5 Qt.	10W-30 FC-W
BF40 ( Starting serial number 3007643 )	2005 - Current	<b>18-7913</b>	15400-PFB-014	2.0L / 2.1 Qt.	5W-30 FC-W
BF45	1997	<b>18-7913</b>	15400-PFB-014 15400-PFB-004 15400-PM3-004 15400-PJ7-015	2.4L / 2.5 Qt.	10W-30 FC-W
BF50	1998 & Earlier	<b>18-7913</b>	15400-PFB-014 15400-PFB-004 15400-PM3-004 15400-PJ7-015	2.4L / 2.5 Qt.	10W-30 FC-W
BF50 ( Up to serial number 3014456 )	1999 - 2005	<b>18-7911-1</b>	15400-PFB-007	2.4L / 2.5 Qt.	10W-30 FC-W
BF50 ( Starting serial number 301457 )	2005 - Current	<b>18-7913</b>	15400-PFB-014	2.0L / 2.1 Qt.	5W-30 FC-W
BF60 / BFP60	All	<b>18-7913</b>	15400-PFB-014 15400-PFB-004	2.6L / 2.7 Qt.	10W-30 FC-W
BF75	1997 - Current	<b>18-7909</b>	15400-PLM-A01PE 15400-POH-305PE 15400-ZJ1-004	4.2L / 4.4 Qt.	10W-30 FC-W
BF90	1997 - Current	<b>18-7909</b>	15400-PLM-A01PE 15400-POH-305PE 15400-ZJ1-004	4.2L / 4.4 Qt.	10W-30 FC-W
BF115	1999 - 2009	<b>18-7909</b>	15400-PLM-A01PE 15400-POH-305PE 15400-ZJ1-004	5.6L / 5.9 Qt.	10W-30 FC-W
BF115	2010 - Current	<b>18-7909</b>	15400-PLM-A01PE 15400-POH-305PE 15400-ZJ1-004	6.5L / 6.9Qt.	10W-30 FC-W
BF130	1999 - 2004	<b>18-7909</b>	15400-PLM-A01PE 15400-POH-305PE 15400-ZJ1-004	5.6L / 5.9 Qt.	10W-30 FC-W
BF135	2004 - Current	<b>18-7909</b>	15400-PLM-A01PE 15400-POH-305PE 15400-ZJ1-004	6.5L / 6.9Qt.	10W-30 FC-W
BF150	2004 - Current	<b>18-7909</b>	15400-PLM-A01PE 15400-POH-305PE 15400-ZJ1-004	6.5L / 6.9Qt.	10W-30 FC-W
BF200	2002 - Current	<b>18-7909</b>	15400-PLM-A01PE 15400-POH-305PE 15400-ZJ1-004	7.6L / 8.0 Qt.	10W-30 FC-W
BF225	2002 - Current	<b>18-7909</b>	15400-PLM-A01PE 15400-POH-305PE 15400-ZJ1-004	7.6L / 8.0 Qt.	10W-30 FC-W

All listed oil capacities are approximate amounts only and may or may not include the oil filter capacity.  
**ALWAYS** follow proper crankcase drain and fill procedures. Check engine dipstick for proper crankcase oil level.

**Kohler**

Model	Cylinders	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
4CZ	2	ALL	<b>23-7823</b>	267714	1.4L / 1.48 Qt.	10W-40
4EF	2	ALL	<b>23-7821</b>	359771	1.36L / 1.44 Qt.	
4ESZ	2	ALL	<b>23-7823</b>	267714	Refer to Owners Manual	10W-40
5E	2	ALL	<b>23-7821</b>	359771	1.36L / 1.44 Qt.	
6.5CZ	2	ALL	<b>23-7823</b>	267714	1.4L / 1.48 Qt.	10W-40
6.5ESZ	2	ALL	<b>23-7823</b>	267714	Refer to Owners Manual	10W-40
7.3E	2	ALL	<b>23-7821</b>	359771	1.36L / 1.44 Qt.	10W-40
10EOZ	3	ALL	<b>23-7824</b>	GM47465 252834	5.2L / 5.5 Qt.	15W-40 API CI-4, CI-4 Plus
10EOZD	3	ALL	<b>23-7824</b> (Variation 1)	GM47465 252834	3.6L / 3.8 Qt.	15W-40 API CI-4, CI-4 Plus
13.5CCOZ	3	ALL	<b>23-7824</b>	GM47465 252834	5.8L / 6.1 Qt.	15W-40 API CI-4, CI-4 Plus
13EOZ	3	ALL	<b>23-7824</b>	GM47465 252834	4.7L / 5.0 Qt.	15W-40 API CI-4, CI-4 Plus
13EOZD	3	ALL	<b>23-7824</b>	GM47465 252834	4.7L / 5.0 Qt.	15W-40 API CI-4, CI-4 Plus
14CCOZ	3	ALL	<b>23-7824</b>	GM47465 252834	Refer to Owners Manual	15W-40 API CI-4, CI-4 Plus
14EOZ	3	ALL	<b>23-7824</b>	GM47465 252834	4.7L / 5.0 Qt.	15W-40 API CI-4, CI-4 Plus
14EOZD	3	ALL	<b>23-7824</b>	GM47465 252834	4.7L / 5.0 Qt.	15W-40 API CI-4, CI-4 Plus
15.5EOZ	3	ALL	<b>23-7824</b>	GM47465 252834	4.7L / 5.0 Qt.	15W-40 API CI-4, CI-4 Plus
15.5EOZD	3	ALL	<b>23-7824</b>	GM47465 252834	4.7L / 5.0 Qt.	15W-40 API CI-4, CI-4 Plus
5CCOZ	3	ALL	<b>23-7822</b>	229678	Refer to Owners Manual	Refer to Owners Manual
5EOZ	3	ALL	<b>23-7822</b>	229678	3.0L / 3.2 Qt.	15W-40 API CI-4, CI-4 Plus
8EOZ	3	ALL	<b>23-7822</b>	229678	2.3L / 2.4 Qt.	15W-40 API CI-4, CI-4 Plus
9CCOZ	3	ALL	<b>23-7824</b>	GM47465 252835	Refer to Owners Manual	Refer to Owners Manual
9EOZ	3	ALL	<b>23-7824</b>	GM47465 252835	Refer to Owners Manual	15W-40 API CI-4, CI-4 Plus
9EOZD	3	ALL	<b>23-7824</b> (Variation 1)	GM47465 252835	3.6L / 3.8 Qt.	15W-40 API CI-4, CI-4 Plus
10E	4	ALL	<b>23-7803</b>		3.25L / 3.50 Qt.	10W-40
12.5E	4	ALL	<b>23-7803</b>	326817	3.25L / 3.50 Qt.	10W-40
15C	4	ALL	<b>23-7820</b>	279449	4.7L / 5.0 Qt.	10W-40
16CF	4	ALL	<b>23-7820</b>	279449	Refer to Owners Manual	Refer to Owners Manual
18.5CCOZ	4	ALL	<b>23-7824</b>	GM47465 252834	5.8L / 6.1 Qt.	Refer to Owners Manual
20C	4	ALL	<b>23-7820</b>	279449	4.7L / 5.0 Qt.	10W-40
20EOZ	4	ALL	<b>23-7824</b>	GM47465 252834	5.8L / 6.1 Qt.	15W-40 API CI-4, CI-4 Plus
20EOZD	4	ALL	<b>23-7824</b>	GM47465 252834	5.8L / 6.1 Qt.	15W-40 API CI-4, CI-4 Plus
23EOZ	4	ALL	<b>23-7824</b>	GM47465 252834	5.8L / 6.1 Qt.	15W-40 API CI-4, CI-4 Plus
23EOZD	4	ALL	<b>23-7824</b>	GM47465 252834	5.8L / 6.1 Qt.	15W-40 API CI-4, CI-4 Plus
24CCOZ	4	ALL	<b>23-7824</b>	GM47465 252834	5.8L / 6.1 Qt.	Refer to Owners Manual

All listed oil capacities are approximate amounts only and may or may not include the oil filter capacity.  
**ALWAYS** follow proper crankcase drain and fill procedures. Check engine dipstick for proper crankcase oil level.

## OIL FILTER QUICK-REFERENCE GUIDE



### Kohler Continued

Model	Cylinders	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
24EOZ	4	ALL	<b>23-7824</b>	GM47465 252834	5.8L / 6.1 Qt.	15W-40 API CI-4, CI-4 Plus
24EOZD	4	ALL	<b>23-7824</b>	GM47465 252834	5.8L / 6.1 Qt.	15W-40 API CI-4, CI-4 Plus
28EOZ	4	ALL	<b>23-7824</b>	GM47465 252834	10.2L / 10.78 Qt.	15W-40 API CI-4, CI-4 Plus
28EOZD	4	ALL	<b>23-7824</b>	GM47465 252834	10.2L / 10.78 Qt.	15W-40 API CI-4, CI-4 Plus
32EOZ	4	ALL	<b>23-7824</b>	GM47465 252834	10.2L / 10.78 Qt.	15W-40 API CI-4, CI-4 Plus
32EOZD	4	ALL	<b>23-7824</b>	GM47465 252835	10.2L / 10.78 Qt.	15W-40 API CI-4, CI-4 Plus
8E	4	ALL	<b>23-7803</b>	326817	3.25L / 3.50 Qt.	10W-40

### Lehman

Model	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
Models (w/Ford 242), (w/Ford 254), (w/Ford 363), (w/Ford 380), (Lehman 2N50)	<b>18-7875</b>		See Owners Manual	See Owners Manual

### Mercury

Model	Cylinders	CID / Litre	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
-------	-----------	-------------	------	------------	----------	--------------------	-----------------

ALL CYLINDER BLOCKS MANUFACTURED BY GENERAL MOTORS (GM) UNLESS NOTED IN MODEL COLUMN

Vazer	4	1.6L	2007 - 2010	<b>18-7824</b>	35-866340K01	4.02L / 4.25 Qt.	25W-40 FC-W
Vazer	4	1.6L	2011 - Current	<b>18-7824</b>	35-866340K01	4.02L / 4.25 Qt.	20W-40 Synthetic Catalyst (1)
60 (Renault)	4	68 / 1.1L	1965 - 1968	-----	38463	2.6L / 2.75 Qt.	See Owners Manual
80 (Renault)	4	80 / 1.3L	1966 - 1969	-----	-----	4.7L / 5.0 Qt.	See Owners Manual
90 (Renault)	4	96 / 1.6L	1970 - 1972	-----	-----	4.7L / 5.0 Qt.	See Owners Manual
110	4	153 / 2.5L	1963 - 1966	<b>18-7824</b>	35-866340K01	3.8L / 4.0 Qt.	See Owners Manual
120	4	153 / 2.5L	1964 - 1986	<b>18-7824</b>	35-866340K01	3.8L / 4.0 Qt.	25W-40 FC-W
140	4	181 / 3.0L	1968 - 1986	<b>18-7824</b>	35-866340K01	3.8L / 4.0 Qt.	25W-40 FC-W
165	4	224 / 3.7L	1987	<b>18-7824</b>	35-866340K01	5.2L / 5.5 Qt.	25W-40 FC-W
170	4	224 / 3.7L	1985 - 1986	<b>18-7824</b>	35-866340K01	5.2L / 5.5 Qt.	25W-40 FC-W
180	4	224 / 3.7L	1987	<b>18-7824</b>	35-866340K01	6.1L / 6.5 Qt.	25W-40 FC-W
190	4	224 / 3.7L	1985 - 1986	<b>18-7824</b>	35-866340K01	6.1L / 6.5 Qt.	25W-40 FC-W
2.5L	4	153 / 2.5L	1987 - 1989	<b>18-7824</b>	35-866340K01	3.8L / 4.0 Qt.	25W-40 FC-W
3.0L / LX	4	181 / 3.0L	1987 - 2010	<b>18-7824</b>	35-866340K01	3.8L / 4.0 Qt.	25W-40 FC-W
3.0L MPI EC (Catalyzed)	4	182 / 3.0L	2011 - Current	<b>18-7824</b>	35-866340K01	3.8L / 4.0 Qt.	20W-40 Synthetic Catalyst (1)
3.7L	4	224 / 3.7L	1988 - 1989	<b>18-7824</b>	35-866340K01	5.2L / 5.5 Qt.	25W-40 FC-W
3.7LX	4	224 / 3.7L	1983 - 1989	<b>18-7824</b>	35-866340K01	6.1L / 6.5 Qt.	25W-40 FC-W
470	4	224 / 3.7L	1976 - 1984	<b>18-7824</b>	35-866340K01	5.2L / 5.5 Qt.	25W-40 FC-W
485	4	224 / 3.7L	1980 - 1982	<b>18-7824</b>	35-866340K01	5.4L / 5.75 Qt.	25W-40 FC-W
488	4	224 / 3.7L	1983 - 1984	<b>18-7824</b>	35-866340K01	6.1L / 6.5 Qt.	25W-40 FC-W
140	6 IL	194 / 3.2L	1963	<b>18-7876</b>	35-99894	4.7L / 5.0 Qt.	25W-40 FC-W
150	6 IL	230 / 3.8L	1964 - 1966	<b>18-7876</b>	35-99894	4.7L / 5.0 Qt.	25W-40 FC-W
160	6 IL	250 / 4.1L	1967 - 1969	<b>18-7876</b>	35-99894	4.7L / 5.0 Qt.	25W-40 FC-W
165	6 IL	250 / 4.1L	1970 - 1981	<b>18-7876</b>	35-99894	4.7L / 5.0 Qt.	25W-40 FC-W
175	V6	262 / 4.3L	1987	<b>18-7879*</b>	35-883702	4.3L / 4.5 Qt.	25W-40 FC-W
185	V6	262 / 4.3L	1985 - 1987	<b>18-7879*</b>	35-883702	4.3L / 4.5 Qt.	25W-40 FC-W
200	6 IL	292 / 4.8L	1969	<b>18-7876</b>	35-99894	5.7L / 6.0 Qt.	25W-40 FC-W
205	V6	262 / 4.3L	1985 - 1987	<b>18-7879*</b>	35-883702	4.3L / 4.5 Qt.	25W-40 FC-W
262 Mag EFI	V6	263 / 4.3L	1996 - 1997	<b>18-7879*</b>	35-883702	4.3L / 4.5 Qt.	25W-40 FC-W

Continued Next Page

All listed oil capacities are approximate amounts only and may or may not include the oil filter capacity.  
ALWAYS follow proper crankcase drain and fill procedures. Check engine dipstick for proper crankcase oil level.



## OIL FILTER QUICK-REFERENCE GUIDE

### MerCruiser - Continued

Model	Cylinders	CID / Litre	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
4.3L / LX / LH / LXH	V6	264 / 4.3L	1988 - 2001	<b>18-7879*</b>	35-883702	4.3L / 4.5 Qt.	25W-40 FC-W
4.3L	V6	265 / 4.3L	2002 - 2010	<b>18-7879*</b>	35-883702	4.3L / 4.5 Qt.	25W-40 FC-W
4.3L EFI	V6	266 / 4.3L	1998 - 2001	<b>18-7879*</b>	35-883702	4.3L / 4.5 Qt.	25W-40 FC-W
4.3L MPI	V6	267 / 4.3L	2002 - 2010	<b>18-7879*</b>	35-883702	3.8L / 4.0 Qt.	25W-40 FC-W
4.3L MPI (Catalyzed)	V6	268 / 4.3L	2011 - Current	<b>18-7824</b>	35-866340K01	3.8L / 4.0 Qt.	20W-40 Synthetic Catalyst (1)

\*NOTE: V6 engines equipped with the oil filter relocation option will use filter 18-7824.

190	V8	283 / 4.6L	1963 - 1964	<b>18-7824</b>	35-866340K01	4.7L / 5.0 Qt.	25W-40 FC-W
198	V8	305 / 5.0L	1977 - 1988	<b>18-7876</b>	35-99894	5.7L / 6.0 Qt.	25W-40 FC-W
200	V8	305 / 5.0L	1985 - 1987	<b>18-7824</b>	35-866340K01	4.7L / 5.0 Qt.	25W-40 FC-W
215 (Ford)	V8	302 / 5.0L	1970 - 1972	<b>18-7875</b>	35-802886	6.6L / 7.0 Qt.	25W-40 FC-W
225 (Ford)	V8	302 / 5.0L	1973 - 1974	<b>18-7875</b>	35-802886	5.7L / 6.0 Qt.	25W-40 FC-W
225	V8	327 / 5.4L	1963 - 1966	<b>18-7824</b>	35-866340K01	4.7L / 5.0 Qt.	25W-40 FC-W
225	V8	327 / 5.4L	1967 - 1969	<b>18-7824</b>	35-866340K01	6.6L / 7.0 Qt.	25W-40 FC-W
228	V8	305 / 5.0L	1977 - 1978	<b>18-7824</b>	35-866340K01	4.7L / 5.0 Qt.	25W-40 FC-W
230	V8	305 / 5.0L	1985 - 1987	<b>18-7824</b>	35-866340K01	5.2L / 5.5 Qt.	25W-40 FC-W
233 (Ford)	V8	351 / 5.8L	1975 - 1977	<b>18-7875</b>	35-802886	4.7L / 5.0 Qt.	25W-40 FC-W
233 (Ford) Inboard	V8	351 / 5.8L	1973 - 1976	<b>18-7875</b>	35-802886	6.6L / 7.0 Qt.	25W-40 FC-W
250	V8	327 / 5.4L	1969	<b>18-7876</b>	35-99894	6.6L / 7.0 Qt.	25W-40 FC-W
250	V8	327 / 5.4L	1968	<b>18-7876</b>	35-99894	5.7L / 6 Qt.	25W-40 FC-W
250	V8	350 / 5.7L	1975 - 1977	<b>18-7876</b>	35-99894	4.7L / 5.0 Qt.	25W-40 FC-W
255	V8	350 / 5.7L	1975 - 1977	<b>18-7876</b>	35-99894	4.7L / 5.0 Qt.	25W-40 FC-W
255 (Ford)	V8	351 / 5.8L	1973 - 1974	<b>18-7875</b>	35-802886	4.7L / 5.0 Qt.	25W-40 FC-W
255 (Ford) Inboard	V8	351 / 5.8L	1973 - 1976	<b>18-7875</b>	35-802886	6.6L / 7.0 Qt.	25W-40 FC-W
260	V8	350 / 5.7L	1975 - 1987	<b>18-7824</b>	35-866340K01	5.2L / 5.5 Qt.	25W-40 FC-W
270	V8	350 / 5.7L	1969 - 1972	<b>18-7876</b>	35-99894	6.6L / 7.0 Qt.	25W-40 FC-W
280 TRS	V8	350 / 5.7L	1975 - 1976	<b>18-7876</b>	35-99894	6.0L / 6.5 Qt.	25W-40 FC-W
300 Tempest	V8	350 / 5.7L	1985 - 1986	<b>18-7876</b>	35-99894	6.0L / 6.5 Qt.	25W-40 FC-W
320 EFI	V8	350 / 5.7L	1987 - 1989	<b>18-7824</b>	35-866340K01	6.0L / 6.5 Qt.	25W-40 FC-W
325	V8	427 / 7.0L	1969 - 1972	<b>18-7876</b>	35-99894	7.6L / 8.0 Qt.	25W-40 FC-W
325 Inboard	V8	427 / 7.0L	1968 - 1974	<b>18-7824</b>	35-866340K01	6.6L / 7.0 Qt.	25W-40 FC-W
330	V8	454 / 7.4L	1977 - 1981	<b>18-7876</b>	35-99894	5.7L / 6.0 Qt.	25W-40 FC-W
330	V8	454 / 7.4L	1982 - 1987	<b>18-7824</b>	35-866340K01	6.6L / 7.0 Qt.	25W-40 FC-W
350 Mag.	V8	350 / 5.7L	1986 - 1997	<b>18-7824</b>	35-866340K01	5.2L / 5.5 Qt.	25W-40 FC-W
350 Mag. EFI	V8	350 / 5.7L	1996 - 1997	<b>18-7824</b>	35-866340K01	5.2L / 5.5 Qt.	25W-40 FC-W
350 Mag. MPI	V8	350 / 5.7L	1996 - 2001	<b>18-7824</b>	35-866340K01	5.2L / 5.5 Qt.	25W-40 FC-W
350 Mag. MPI	V8	350 / 5.7L	2002 - 2010	<b>18-7824</b>	35-866340K01	4.25L / 4.5 Qt.	25W-40 FC-W
350 Mag. MPI (Catalyzed)	V8	350 / 5.7L	2011 - Current	<b>18-7824</b>	35-866340K01	4.25L / 4.5 Qt.	20W-40 Synthetic Catalyst (1)
370 TRS	V8	454 / 7.4L	1978 - 1987	<b>18-7824</b>	35-866340K01	5.7L / 6.0 Qt.	25W-40 FC-W
377 Scorpion	V8	377 / 6.2L	1997 - 2010	<b>18-7824</b>	35-866340K01	4.7L / 5.0 Qt.	25W-40 FC-W
390	V8	482 / 7.9L	1969 - 1970	<b>18-7876</b>	35-99894	7.6L / 8.0 Qt.	25W-40 FC-W
390 Inboard	V8	482 / 7.9L	1969 - 1970	<b>18-7876</b>	35-99894	6.6L / 7.0 Qt.	25W-40 FC-W
400 TRS	V8	454 / 7.4L	1978 - 1987	<b>18-7824</b>	35-866340K01	6.6L / 7.0 Qt.	25W-40 FC-W
420	V8	454 / 7.4L	1987 - 1989	<b>18-7824</b>	35-866340K01	5.7L / 6.0 Qt.	25W-40 FC-W
425	V8	454 / 7.4L	1990 - 1993	<b>18-7824</b>	35-866340K01	7.6L / 8.0 Qt.	25W-40 FC-W
440 TRS Cyclone	V8	454 / 7.4L	1983 - 1986	<b>18-7876</b>	35-99894	6.6L / 7.0 Qt.	25W-40 FC-W
450	V8	454 / 7.4L	1995 - 1996	<b>18-7876</b>	35-99894	7.6L / 8.0 Qt.	25W-40 FC-W
454 Mag. Alpha	V8	454 / 7.4L	1986 - 1988	<b>18-7824</b>	35-866340K01	6.6L / 7.0 Qt.	25W-40 FC-W
454 Mag.	V8	454 / 7.4L	1989 - 1991	<b>18-7824</b>	35-866340K01	7.6L / 8.0 Qt.	25W-40 FC-W
454 Mag.	V8	454 / 7.4L	1992 - 1997	<b>18-7824</b>	35-866340K01	6.6L / 7.0 Qt.	25W-40 FC-W
454 Mag. EFI	V8	454 / 7.4L	1994 - 1996	<b>18-7824</b>	35-866340K01	6.6L / 7.0 Qt.	25W-40 FC-W
454 Mag. MPI	V8	454 / 7.4L	1996 - 2001	18-7824	35-866340K01	6.6L / 7.0 Qt.	25W-40 FC-W
460 TRS	V8	482 / 7.9L	1983 - 1986	18-7876	35-99894	9.4L / 10 Qt.	25W-40 FC-W
465	V8	502 / 8.2L	1990 - 1994	18-7824	35-866340K01	7.6L / 8.0 Qt.	25W-40 FC-W
496 Mag.	V8	496 / 8.1L	2001 - 2010	18-7824	35-866340K01	8.5L / 9.0 Qt.	25W-40 FC-W

All listed oil capacities are approximate amounts only and may or may not include the oil filter capacity.  
**ALWAYS** follow proper crankcase drain and fill procedures. Check engine dipstick for proper crankcase oil level.



# OIL FILTER QUICK-REFERENCE GUIDE



## MerCruiser - Continued

Model	Cylinders	CID / Litre	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
496 Mag. HO	V8	496 / 8.1L	2001 - 2010	<b>18-7824</b>	35-866340K01	8.5L / 9.0 Qt.	25W-40 FC-W
496 Mag. (Catalyzed)	V8	496 / 8.1L	2011 - Current	<b>18-7824</b>	35-866340K01	8.5L / 9.0 Qt.	20W-40 Synthetic Catalyst (1)
496 Mag. HO (Catalyzed)	V8	496 / 8.1L	2011 - Current	<b>18-7824</b>	35-866340K01	8.5L / 9.0 Qt.	20W-40 Synthetic Catalyst (1)
5.0L	V8	305 / 5.0L	1988 - 1995	<b>18-7824</b>	35-866340K01	4.7L / 5.0 Qt.	25W-40 FC-W
5.0L	V8	305 / 5.0L	1998 - 2002	<b>18-7824</b>	35-866340K01	5.2L / 5.5 Qt.	25W-40 FC-W
5.0L	V8	305 / 5.0L	2003 - 2010	<b>18-7824</b>	35-866340K01	4.25L / 4.5 Qt.	25W-40 FC-W
5.0LX	V8	305 / 5.0L	1988 - 1995	<b>18-7824</b>	35-866340K01	5.2L / 5.5 Qt.	25W-40 FC-W
5.0 EFI	V8	305 / 5.0L	1998 - 2001	<b>18-7824</b>	35-866340K01	5.2L / 5.5 Qt.	25W-40 FC-W
5.0 MPI	V8	305 / 5.0L	2002 - 2010	<b>18-7824</b>	35-866340K01	4.25L / 4.5 Qt.	25W-40 FC-W
5.0 MPI (Catalyzed)	V8	305 / 5.0L	2011 - Current	<b>18-7824</b>	35-866340K01	4.25L / 4.5 Qt.	20W-40 Synthetic Catalyst (1)
5.7L	V8	350 / 5.7L	1978 - 2002	<b>18-7824</b>	35-866340K01	5.2L / 5.5 Qt.	25W-40 FC-W
5.7L	V8	350 / 5.7L	2003 - 2010	<b>18-7824</b>	35-866340K01	4.25L / 4.5 Qt.	25W-40 FC-W
5.7LX	V8	350 / 5.7L	1996 - 1997	<b>18-7824</b>	35-866340K01	5.2L / 5.5 Qt.	25W-40 FC-W
5.7 EFI	V8	350 / 5.7L	1995 - 2001	<b>18-7824</b>	35-866340K01	5.2L / 5.5 Qt.	25W-40 FC-W
500	V8	502 / 8.2L	1994 - 1999	<b>18-7824</b>	35-866340K01	7.6L / 8.0 Qt.	25W-40 FC-W
500 EFI	V8	502 / 8.2L	1999 - 2005	<b>18-7824</b>	35-866340K01	6.6L / 7.0 Qt.	25W-40 FC-W
502 Mag.	V8	502 / 8.2L	1990 - 1993	<b>18-7824</b>	35-866340K01	7.6L / 8.0 Qt.	25W-40 FC-W
502 Mag. EFI	V8	502 / 8.2L	1993 - 1995	<b>18-7824</b>	35-866340K01	6.6L / 7.0 Qt.	25W-40 FC-W
502 Mag. MPI	V8	502 / 8.2L	1996 - 2001	<b>18-7824</b>	35-866340K01	6.6L / 7.0 Qt.	25W-40 FC-W
6.2 MPI (up to OM299999)	V8	377 / 6.2L	2000 - 2002	<b>18-7824</b>	35-866340K01	5.2L / 5.5 Qt.	25W-40 FC-W
6.2MPI (OM300000 and up)	V8	377 / 6.2L	2002 - 2010	<b>18-7824</b>	35-866340K01	4.25L / 4.5 Qt.	25W-40 FC-W
6.2 Black Scorpion (up to OM391599)	V8	377 / 6.2L	2001 - 2003	<b>18-7824</b>	35-866340K01	5.2L / 5.5 Qt.	25W-40 FC-W
6.2 Black Scorpion (OM391750 and up)	V8	377 / 6.2L	2003 - 2010	<b>18-7824</b>	35-866340K01	4.25L / 4.5 Qt.	25W-40 FC-W
7.4L	V8	454 / 7.4L	1988 - 1991	<b>18-7824</b>	35-866340K01	7.6L / 8.0 Qt.	25W-40 FC-W
7.4L with Borg Warner	V8	454 / 7.4L	1981 - 1992	<b>18-7824</b>	35-866340K01	6.6L / 7.0 Qt.	25W-40 FC-W
7.4L with Hurth	V8	454 / 7.4L	1988 - 1992	<b>18-7824</b>	35-866340K01	7.6L / 8.0 Qt.	25W-40 FC-W
7.4L	V8	454 / 7.4L	1992 - 1997	<b>18-7824</b>	35-866340K01	6.6L / 7.0 Qt.	25W-40 FC-W
7.4LX TBI	V8	454 / 7.4L	1996 - 1997	<b>18-7824</b>	35-866340K01	6.6L / 7.0 Qt.	25W-40 FC-W
7.4LX MPI	V8	454 / 7.4L	1996 - 1997	<b>18-7824</b>	35-866340K01	6.6L / 7.0 Qt.	25W-40 FC-W
7.4L MPI	V8	454 / 7.4L	1998 - 2001	<b>18-7824</b>	35-866340K01	6.6L / 7.0 Qt.	25W-40 FC-W
8.1L	V8	496 / 8.1L	2001 - 2010	<b>18-7824</b>	35-866340K01	8.5L / 9.0 Qt.	25W-40 FC-W
8.1L (Catalyzed)	V8	496 / 8.1L	2011 - Current	<b>18-7824</b>	35-866340K01	8.5L / 9.0 Qt.	20W-40 Synthetic Catalyst (1)
8.1L HO	V8	496 / 8.1L	2001 - 2010	<b>18-7824</b>	35-866340K01	8.5L / 9.0 Qt.	25W-40 FC-W
8.1L HO (Catalyzed)	V8	496 / 8.1L	2011 - Current	<b>18-7824</b>	35-866340K01	8.5L / 9.0 Qt.	20W-40 Synthetic Catalyst (1)
8.2L	V8	502 / 8.2L	1992 - 1996	<b>18-7824</b>	35-866340K01	7.6L / 8.0 Qt.	25W-40 FC-W
8.2L MPI	V8	502 / 8.2L	1996 - 2001	<b>18-7824</b>	35-866340K01	6.6L / 7.0 Qt.	25W-40 FC-W
888 (Ford)	V8	302 / 5.0L	1971 - 1977	<b>18-7875</b>	35-802886	5.7L / 6.0 Qt.	25W-40 FC-W
898	V8	305 / 5.0L	1977 - 1984	<b>18-7876</b>	35-99894	4.7L / 5.0 Qt.	25W-40 FC-W

## Mercury Outboard

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
2.5HP / 3.5HP	2006 - 2011	----		0.30 L / 0.31 Qt.	10W-30 FC-W
4HP / 5HP / 6 HP	1999 - 2011	----		0.45L / 0.48 Qt.	10W-30 FC-W
8HP (232cc)	1995-2000	<b>18-7901</b>	825467T1, A1	1.0L / 1.05 Qt.	10W-30 FC-W
8HP (323cc)	2001-2004	<b>18-7913</b>	35-822626Q1, Q3, K03	1.0L / 1.05 Qt.	10W-30 FC-W
8HP (209cc)	2005-2011	----	35-895152, 35-895152002	0.80L / 0.85 Qt.	10W-30 FC-W
9.9HP (232cc)	1995-1998	<b>18-7901</b>	825467T1, A1	1.0L / 1.05 Qt.	10W-30 FC-W
9.9HP (323cc)	1999-2004	<b>18-7913</b>	35-822626Q1, Q3, K03	1.0L / 1.05 Qt.	10W-30 FC-W
9.9HP (209cc)	2005-2011	----	35-895152, 35-895152002	0.80L / 0.85 Qt.	10W-30 FC-W
15HP (323cc)	1998-2008	<b>18-7913</b>	35-822626Q1, Q3, K03	1.0L / 1.05 Qt.	10W-30 FC-W

Continued Next Page

All listed oil capacities are approximate amounts only and may or may not include the oil filter capacity.  
ALWAYS follow proper crankcase drain and fill procedures. Check engine dipstick for proper crankcase oil level.





## OIL FILTER QUICK-REFERENCE GUIDE

### Mercury Outboard - Continued

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
15HP (351cc)	2008-2011	<b>18-7913</b>	35-822626Q1, Q3, K03	1.0L / 1.05 Qt.	10W-30 FC-W
20HP (351cc)	2008-2011	<b>18-7913</b>	35-822626Q1, Q3, K03	1.0L / 1.05 Qt.	10W-30 FC-W
25HP ( OT800999 and lower )	1998-2006	<b>18-7914</b>	35-822626Q2, Q04, K04	3.0L / 3.17 Qt.	10W-30 FC-W
25HP ( OT801000 and up )	2006-2011	<b>18-7913</b>	35-822626Q1, Q3, K03	1.8L / 1.90 Qt.	10W-30 FC-W
30HP ( OT800999 and lower )	1999-2006	<b>18-7914</b>	35-822626Q2, Q04, K04	3.0L / 3.17 Qt.	10W-30 FC-W
30HP ( OT801000 and up )	2006-2011	<b>18-7913</b>	35-822626Q1, Q3, K03	1.8L / 1.90 Qt.	10W-30 FC-W
40HP (3 cyl)	1999-2011	<b>18-7914</b>	35-822626Q2, Q04, K04	3.0L / 3.17 Qt.	10W-30 FC-W
40HP (4 cyl)	2001-2011	<b>18-7914</b>	35-822626Q2, Q04, K04	3.0L / 3.17 Qt.	10W-30 FC-W
50HP (996cc)	2001-2011	<b>18-7914</b>	35-822626Q2, Q04, K04	3.0L / 3.17 Qt.	10W-30 FC-W
50HP (935cc)	1995-2000	<b>18-7914</b>	35-822626Q2, Q04, K04	3.0L / 3.17 Qt.	10W-30 FC-W
60HP	2001-2011	<b>18-7914</b>	35-822626Q2, Q04, K04	3.0L / 3.17 Qt.	10W-30 FC-W
75HP Carbureted	2000-2005	<b>18-7914</b>	35-822626Q2, Q04, K04	5.0L / 5.28 Qt.	10W-30 FC-W
75HP EFI (1B366822 & Below)	1999-2006	<b>18-7914</b>	35-822626Q2, Q04, K04	4.5L / 4.80 Qt.	10W-30 FC-W
75HP EFI (1B366822 & Above)	2006-2011	<b>18-7758</b>	35-877761K01	5.0L / 5.28 Qt.	10W-30 FC-W
80HP	2006-UP	<b>18-7914</b>	35-822626Q2, Q04, K04	4.5L / 4.80 Qt.	10W-30 FC-W
90HP Carbureted	2000-2005	<b>18-7914</b>	35-822626Q2, Q04, K04	5.0L / 5.28 Qt.	10W-30 FC-W
90HP EFI (1B366822 & Below)	1999-2006	<b>18-7914</b>	35-822626Q2, Q04, K04	4.5L / 4.80 Qt.	10W-30 FC-W
90HP EFI (1B366822 & Above)	2006-2011	<b>18-7758</b>	35-877761K01	5.0L / 5.28 Qt.	10W-30 FC-W
115HP EFI (1B366822 & Below)	2001-2006	<b>18-7914</b>	35-822626Q2, Q04, K04	5.0L / 5.28 Qt.	10W-30 FC-W
115HP EFI (1B366822 & Above)	2006-2011	<b>18-7758</b>	35-877761K01	5.0L / 5.28 Qt.	10W-30 FC-W
135 Verado L4	2006-2011	<b>18-7921</b>	35-877767K01	6.0L / 6.34 Qt.	25W-40 Synthetic Blend FC-W
150 Verado L4	2006-2011	<b>18-7921</b>	35-877767K01	6.0L / 6.34 Qt.	25W-40 Synthetic Blend FC-W
175 Verado L4	2006-2011	<b>18-7921</b>	35-877767K01	6.0L / 6.34 Qt.	25W-40 Synthetic Blend FC-W
200 Verado L4	2007-2011	<b>18-7921</b>	35-877767K01	6.0L / 6.34 Qt.	25W-40 Synthetic Blend FC-W
200 Verado L6	2005-2011	<b>18-7918</b>	35-877769K01	7.0L / 7.40 Qt.	25W-50 Synthetic Blend FC-W
225HP EFI	2003-2006	<b>18-7906-1</b>	35-822626T7, Q15	6.0L / 6.34 Qt.	10W-30 FC-W
225 Verado L6	2005-2011	<b>18-7918</b>	35-877769K01	7.0L / 7.40 Qt.	25W-50 Synthetic Blend FC-W
250 Verado L6	2005-2011	<b>18-7918</b>	35-877769K01	7.0L / 7.40 Qt.	25W-50 Synthetic Blend FC-W
275 Verado L6	2005-2011	<b>18-7918</b>	35-877769K01	7.0L / 7.40 Qt.	25W-50 Synthetic Blend FC-W
300 Verado L6	2007-2011	<b>18-7918</b>	35-877769K01	7.0L / 7.40 Qt.	25W-50 Synthetic Blend FC-W

### Mohawk

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
V8-302, V8-351		<b>18-7875</b>		See Owners Manual	See Owners Manual

### Nissan Tohatsu

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
F2	2006	----	----	300 ml. / 10 oz.	10W-40 FC-W
F2.5	2006 - Current	----	----	300 ml. / 10 oz.	10W-40 FC-W
F3.5	2006 - Current	----	----	300 ml. / 10 oz.	10W-40 FC-W
F4	1999 - Current	----	3H6-07413-0	450 ml. / 16 oz.	10W-40 FC-W
F5	1998 - Current	----	3H6-07413-0	450 ml. / 16 oz.	10W-40 FC-W
F6	2002 - Current	----	3H6-07413-0	450 ml. / 16 oz.	10W-40 FC-W
F8	2003 - Current	----	3V1-07410-1	800 ml. / 27 oz.	10W-40 FC-W
F9.8	2003 - Current	----	3V1-07410-1	800 ml. / 27 oz.	10W-40 FC-W
F9.9	2000 - 2008	<b>18-7911-1</b>	3R007-6150M 3RO-07615-0	1.0L / 1.06 Qt.	10W-40 FC-W
F15	2000 - Current	<b>18-7911-1</b>	3R007-6150M 3RO-07615-0	1.0L / 1.06 Qt.	10W-40 FC-W
F18	2001 - 2006	<b>18-7911-1</b>	3R007-6150M 3RO-07615-0	1.0L / 1.06 Qt.	10W-40 FC-W
F20	2008 - Current	<b>18-7911-1</b>	3R007-6150M 3RO-07615-0	1.0L / 1.06 Qt.	10W-40 FC-W
F25	2002 - Current	<b>18-7911-1</b>	3R007-6150M 3RO-07615-0	1.8L / 1.9 Qt.	10W-40 FC-W
F30	2002 - Current	<b>18-7911-1</b>	3R007-6150M 3RO-07615-0	1.8L / 1.9 Qt.	10W-40 FC-W

All listed oil capacities are approximate amounts only and may or may not include the oil filter capacity.  
**ALWAYS** follow proper crankcase drain and fill procedures. Check engine dipstick for proper crankcase oil level.

## OIL FILTER QUICK-REFERENCE GUIDE



### Northern Lights

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
M753		<b>23-7801</b>	140516190	3.5L / 3.7 Qt.	15W-40 API CF or Higher
M753G		<b>23-7801</b>	140516190	3.5L / 3.7 Qt.	15W-40 API CF or Higher
M753K		<b>23-7801</b>	140516190	3.5L / 3.7 Qt.	15W-40 API CF or Higher
M753W		<b>23-7801</b>	140516190	3.5L / 3.7 Qt.	15W-40 API CF or Higher
M753w2		<b>23-7801</b>	140516190	3.5L / 3.7 Qt.	15W-40 API CF or Higher
M773L		<b>23-7801</b>	140516190	4.0L / 4.2 Qt.	15W-40 API CF or Higher
M773LW2		<b>23-7801</b>	140516190	4.9L / 4.75 Qt.	15W-40 API CF or Higher
M773LW3: 9/7Kw		<b>23-7801</b>	140516190	4.9L / 4.75 Qt.	15W-40 API CF or Higher
M843		<b>23-7801</b>	140516190	5.5L / 5.8 Qt.	15W-40 API CF or Higher
M843N		<b>23-7801</b>	140516190	5.5L / 5.8 Qt.	15W-40 API CF or Higher
M843NK		<b>23-7801</b>	140516190	5.5L / 5.8 Qt.	15W-40 API CF or Higher
M843NK2		<b>23-7801</b>	140516190	5.5L / 5.8 Qt.	15W-40 API CF or Higher
M843NW		<b>23-7801</b>	140516190	5.5L / 5.8 Qt.	15W-40 API CF or Higher
M843NW2		<b>23-7801</b>	140516190	5.5L / 5.8 Qt.	15W-40 API CF or Higher
M844		<b>23-7801</b>	140516190	8.2L / 8.66 Qt.	15W-40 API CF or Higher
M844K		<b>23-7801</b>	140516190	8.2L / 8.66 Qt.	15W-40 API CF or Higher
M844L		<b>23-7801</b>	140516190	8.2L / 8.66 Qt.	15W-40 API CF or Higher
M844LK		<b>23-7801</b>	140516190	8.2L / 8.66 Qt.	15W-40 API CF or Higher
M844LW		<b>23-7801</b>	140516190	8.2L / 8.66 Qt.	15W-40 API CF or Higher
M844LW2		<b>23-7801</b>	140516190	8.2L / 8.66 Qt.	15W-40 API CF or Higher
M844W		<b>23-7801</b>	140516190	8.2L / 8.66 Qt.	15W-40 API CF or Higher
M844W2		<b>23-7801</b>	140516190	8.2L / 8.66 Qt.	15W-40 API CF or Higher
M844W3: 16/12KW		<b>23-7801</b>	140516190	8.2L / 8.66 Qt.	15W-40 API CF or Higher
M844LW3: 20/16Kw		<b>23-7801</b>	140516190	8.2L / 8.66 Qt.	15W-40 API CF or Higher
M844NK2		<b>23-7801</b>	140516190	8.2L / 8.66 Qt.	15W-40 API CF or Higher
M844LK2		<b>23-7801</b>	140516190	8.2L / 8.66 Qt.	15W-40 API CF or Higher
M844NW2		<b>23-7801</b>	140516190	8.2L / 8.66 Qt.	15W-40 API CF or Higher
M844NW3		<b>23-7801</b>	140516190	8.2L / 8.66 Qt.	15W-40 API CF or Higher
ML844		<b>23-7801</b>	140516190	8.2L / 8.66 Qt.	15W-40 API CF or Higher
ML844K		<b>23-7801</b>	140516190	8.2L / 8.66 Qt.	15W-40 API CF or Higher
ML844L		<b>23-7801</b>	140516190	8.2L / 8.66 Qt.	15W-40 API CF or Higher
ML844LK		<b>23-7801</b>	140516190	8.2L / 8.66 Qt.	15W-40 API CF or Higher
M864K		<b>23-7801</b>	140516190	7.4L / 7.8 Qt.	15W-40 API CF or Higher
M864W		<b>23-7801</b>	140516190	7.4L / 7.8 Qt.	15W-40 API CF or Higher
M864W3: 25/20Kw		<b>23-7801</b>	140516190	7.4L / 7.8 Qt.	15W-40 API CF or Higher
M16C		<b>23-7801</b>	140516190	Refer to Owners Manual	15W-40 API CF or Higher
M20CL		<b>23-7801</b>	140516190	8.2L / 8.66 Qt.	15W-40 API CF or Higher
M20CR		<b>23-7801</b>	140516190	8.2L / 8.66 Qt.	15W-40 API CF or Higher

### OMC

Model	Cylinders	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
100	4	1972 - 1973	<b>18-7824</b>	502902	3.3L / 3.5 Qt.	25W-40 FC-W
120	4	1965 - 1981	<b>18-7824</b>	502902	3.3L / 3.5 Qt.	25W-40 FC-W
140	4	1973 - 1981	<b>18-7824</b>	502902	3.3L / 3.5 Qt.	25W-40 FC-W
2.3L (Ford)	4	1987 - 1990	<b>18-7875</b>	502900	3.8L / 4.0 Qt.	25W-40 FC-W
2.5L	4	1982 - 1986	<b>18-7824</b>	502902	3.3L / 3.5 Qt.	25W-40 FC-W
3.0L / GL / GS	4	1982 - 1998	<b>18-7824</b>	502902	3.8L / 4.0 Qt.	25W-40 FC-W
165	6	1972 - 1976	<b>18-7876</b>	502901	3.8L / 4.0 Qt.	25W-40 FC-W
3.8L	6	1981 - 1985	<b>18-7879</b>	502903	3.8L / 4.0 Qt.	25W-40 FC-W
4.3L	6	1985 - 1998	<b>18-7879</b>	502903	3.8L / 4.0 Qt.	25W-40 FC-W
4.3 HO (Remote Oil Filter)	6	1989 - 1991	<b>18-7876</b>	502901	4.0L / 4.5 Qt.	25W-40 FC-W
175 (Ford)	8	1975 - 1977	<b>18-7875</b>	502900	4.7L / 5.0 Qt.	25W-40 FC-W
185 (Ford)	8	1978 - 1980	<b>18-7875</b>	502900	3.8L / 4.0 Qt.	25W-40 FC-W
190 (Ford)	8	1974 - 1977	<b>18-7875</b>	502900	4.7L / 5.0 Qt.	25W-40 FC-W

Continued Next Page

All listed oil capacities are approximate amounts only and may or may not include the oil filter capacity.  
ALWAYS follow proper crankcase drain and fill procedures. Check engine dipstick for proper crankcase oil level.

**OMC - Continued**

Model	Cylinders	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
200	8	1978 - 1981	<b>18-7876</b>	502901	3.8L / 4.0 Qt.	25W-40 FC-W
225	8	1972 - 1978	<b>18-7876</b>	502901	4.7L / 5.0 Qt.	25W-40 FC-W
230	8	1978 - 1981	<b>18-7876</b>	502901	4.7L / 5.0 Qt.	25W-40 FC-W
235	8	1971 - 1977	<b>18-7876</b>	502901	4.7L / 5.0 Qt.	25W-40 FC-W
245	8	1972 - 1975	<b>18-7876</b>	502901	4.7L / 5.0 Qt.	25W-40 FC-W
250 (Ford)	8	1979	<b>18-7875</b>	502900	4.7L / 5.0 Qt.	25W-40 FC-W
260	8	1978 - 1981	<b>18-7876</b>	502901	4.7L / 5.0 Qt.	25W-40 FC-W
262 King Cobra	8	1989	<b>18-7876</b>	502901	3.8L / 4.0 Qt.	25W-40 FC-W
350 King Cobra	8	1986 - 1989	<b>18-7876</b>	502901	4.7L / 5.0 Qt.	25W-40 FC-W
351 EFI	8	1994 - 1995	<b>18-7875</b>	502900	3.8L / 4.0 Qt.	25W-40 FC-W
351 King	8	1992	<b>18-7875</b>	502900	4.7L / 5.0 Qt.	25W-40 FC-W
351 King	8	1993	<b>18-7875</b>	502900	3.8L / 4.0 Qt.	25W-40 FC-W
454 HO	8	1991 - 1993	<b>18-7876</b>	502901	5.7L / 6.0 Qt.	25W-40 FC-W
454 King Cobra	8	1989 - 1990	<b>18-7876</b>	502901	5.7L / 6.0 Qt.	25W-40 FC-W
460 King Cobra	8	1986 - 1989	<b>18-7878-1</b>	502904	5.7L / 6.0 Qt.	25W-40 FC-W
5.0L	8	1986-1996, 1998	<b>18-7876</b>	502901	4.7L / 5.0 Qt.	25W-40 FC-W
5.0L EFI (Ford)	8	1993 - 1996	<b>18-7875</b>	502900	4.7L / 5.0 Qt.	25W-40 FC-W
502 King Cobra (8.2L)	8	1992 - 1993	<b>18-7876</b>	502901	5.7L / 6.0 Qt.	25W-40 FC-W
5.7L	8	1982 - 1985	<b>18-7876</b>	502901	5.7L / 6.0 Qt.	25W-40 FC-W
5.7L / GL / Gi	8	1986 - 1998	<b>18-7876</b>	502901	4.7L / 5.0 Qt.	25W-40 FC-W
5.8L (Ford)	8	1989 - 1991	<b>18-7875</b>	502900	4.7L / 5.0 Qt.	25W-40 FC-W
5.8L (Ford) / FL / EFI	8	1992 - 1995	<b>18-7875</b>	502900	3.8L / 4.0 Qt.	25W-40 FC-W
5.8L HO EFI	8	1995	<b>18-7875</b>	502900	3.8L / 4.0 Qt.	25W-40 FC-W
7.4L / GL	8	1988, 1991-1998	<b>18-7876</b>	502901	5.7L / 6.0 Qt.	25W-40 FC-W
7.4L Gi	8	1996 - 1998	<b>18-7876</b>	502901	7.6L / 8.0 Qt.	25W-40 FC-W
7.5L (Ford)	8	1987 - 1990	<b>18-7878-1</b>	502904	4.7L / 5.0 Qt.	25W-40 FC-W
8.2L	8	1984 - 1985	<b>18-7876</b>	502901	5.7L / 6.0 Qt.	25W-40 FC-W
8.2L GSi	8	1998	<b>18-7876</b>	502901	7.6L / 8.0 Qt.	25W-40 FC-W

**Onan**

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
MDKAU		<b>23-7804</b>	185-744	2.1L / 2.2 Qt.	15W-40 API CF or Higher
MDKAV		<b>23-7842</b>	185-5835	4.0L / 4.2 Qt.	15W-40 API CF or Higher
MDKBG		<b>23-7842</b>	185-5835	4.0L / 4.2 Qt.	15W-40 API CF or Higher
MDKAW (Spacesaver)		<b>23-7842</b>	185-5835	4.3L / 4.5 Qt.	15W-40 API CF or Higher
MDKAZ		<b>23-7842</b>	185-5835	4.3L / 4.5 Qt.	15W-40 API CF or Higher
MDKBD		<b>23-7840</b>	122-0810	7.6L / 8.0 Qt.	15W-40 API CF or Higher
MDKBE		<b>23-7840</b>	122-0810	7.6L / 8.0 Qt.	15W-40 API CF or Higher
MDKBF		<b>23-7840</b>	122-0810	12L / 12.7 Qt.	15W-40 API CF or Higher
MDKBD (w/ Isolated Ground)		<b>23-7840</b>	122-0810	7.6L / 8.0 Qt.	15W-40 API CF or Higher
MDKBE (w/ Isolated Ground)		<b>23-7840</b>	122-0810	7.6L / 8.0 Qt.	15W-40 API CF or Higher
MDKBF (w/ Isolated Ground)		<b>23-7840</b>	122-0810	12L / 12.7 Qt.	15W-40 API CF or Higher
MDKBH		<b>23-7804</b>	185-744	2.1L / 2.2 Qt.	15W-40 API CF or Higher
MDJB		<b>23-7841</b>	122-0185	3.3L / 3.5 Qt.	15W-40 API CF or Higher
MDJC		<b>23-7841</b>	122-0185	6.2L / 6.5 Qt.	15W-40 API CF or Higher
MDJE		<b>23-7841</b>	122-0185	3.3L / 3.5 Qt.	15W-40 API CF or Higher
MDJF		<b>23-7841</b>	122-0185	6.2L / 6.5 Qt.	15W-40 API CF or Higher
MJA		<b>23-7841</b>	122-0185	Refer to Owners Manual	15W-40 API CF or Higher
MJB		<b>23-7841</b>	122-0185	Refer to Owners Manual	15W-40 API CF or Higher
MJC		<b>23-7841</b>	122-0185	Refer to Owners Manual	15W-40 API CF or Higher
MDKAD/E/F		<b>23-7840</b>	122-0810	7.6L / 8.0 Qt.	15W-40 API CF or Higher
MDKAL/A/B		<b>23-7842</b>	185-5835	4.0L / 4.2 Qt.	15W-40 API CF or Higher

All listed oil capacities are approximate amounts only and may or may not include the oil filter capacity.  
**ALWAYS** follow proper crankcase drain and fill procedures. Check engine dipstick for proper crankcase oil level.

## OIL FILTER QUICK-REFERENCE GUIDE



### PCM Pleasurecraft

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
200		<b>18-7875</b>	R077001	Refer to Owners Manual	Refer to Owners Manual
220		<b>18-7875</b>	R077001	Refer to Owners Manual	Refer to Owners Manual
8200		<b>18-7875</b>	R077001	Refer to Owners Manual	Refer to Owners Manual
8240		<b>18-7875</b>	R077001	Refer to Owners Manual	Refer to Owners Manual
230		<b>18-7824</b>	R077002	Refer to Owners Manual	Refer to Owners Manual
280		<b>18-7824</b>	R077002	Refer to Owners Manual	Refer to Owners Manual
300		<b>18-7824</b>	R077002	Refer to Owners Manual	Refer to Owners Manual
350		<b>18-7824</b>	R077002	Refer to Owners Manual	Refer to Owners Manual
5.0L MPI (Remote Oil Filter)	2007 & Older	<b>18-7875</b>	R077001	3.8L / 4.0 Qt.	15W-40 API SL or Higher
5.7L MPI (Remote Oil Filter)	2007 & Older	<b>18-7875</b>	R077001	3.8L / 4.0 Qt.	15W-40 API SL or Higher
6.0L MPI (Remote Oil Filter)	2007 & Older	<b>18-7875</b>	R077001	4.75L / 5.0 Qt.	15W-40 API SL or Higher
5.0L MPI (Serial 473065 & UP) (Remote Oil Filter)	2007 - 2009	<b>18-7875</b>	R077001	3.8L / 4.0 Qt.	15W-40 API SL or Higher
EX 343 (Serial 473065 & UP) (Remote Oil Filter)	2007 - 2012	<b>18-7875</b>	R077001	3.8L / 4.0 Qt.	15W-40 API SL or Higher
ZR6 390 (Serial 470365 & UP) (Remote Oil Filter)	2007	<b>18-7875</b>	R077001	4.75L / 5.0 Qt.	15W-40 API SL or Higher
5.0L Pro Sport Catanium™ CES (Remote Oil Filter)	2008 - 2010	<b>18-7875</b>	R077001	4.5L / 4.75 Qt.	15W-40 API SM or Higher
5.7L EX343 Catanium™ CES (Remote Oil Filter)	2008 - 2012	<b>18-7875</b>	R077001	4.5L / 4.75 Qt.	15W-40 API SM or Higher
6.0L ZR-409 Catanium™ CES (Remote Oil Filter)	2009 - 2012	<b>18-7875</b>	R077001	4.75L / 5.0 Qt.	15W-40 API SM or Higher
6.0L MPI - ZR409 (Remote Oil Filter)	2009 - 2012	<b>18-7875</b>	R077001	4.75L / 5.0 Qt.	15W-40 API SM or Higher
HO303 MPI	2011 - 2012	<b>18-7875</b>	R077001	3.8L / 4.0 Qt. (Starting Amount)	15W-40 API SM or Higher
HO303 Catanium™ CES	2011 - 2012	<b>18-7875</b>	R077001	3.8L / 4.0 Qt. (Starting Amount)	15W-40 API SM or Higher
ZR450 Catanium™ CES	2011 - 2012	<b>18-7875</b>	R077001	3.8L / 4.0 Qt. (Starting Amount)	15W-40 API SM or Higher
ZR550 6.2L MPI	2011 - 2012	<b>18-7875</b>	R077001	3.8L / 4.0 Qt. (Starting Amount)	5W-30 Full Synthetic

### Suzuki

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
DF9.9-DF15 (9.9 hp. serial 110001 and below)	1996 - 2010	<b>18-7903</b>	16510-05240 16510-45H10	1.0 L / 1.1 Qt.	10W-40 Synthetic Blend FC-W
DF25	2000 - 2006	<b>18-7915-1</b>	16510-87J00	3.0 L / 3.2 Qt.	10W-40 Synthetic Blend FC-W
DF25 V-Twin	2006 - 2010	<b>18-7915-1</b>	16510-87J00	1.5L / 1.6 Qt.	10W-40 Synthetic Blend FC-W
DF30	2000 - 2007	<b>18-7915-1</b>	16510-87J00	3.0 L / 3.2 Qt.	10W-40 Synthetic Blend FC-W
DF40-DF50	1999 - 2010	<b>18-7915-1</b>	16510-87J00	2.2 L / 2.3 Qt.	10W-40 Synthetic Blend FC-W
DF60-DF70	1998 - 2009	<b>18-7915-1</b>	16510-87J00	4.5 L / 4.8 Qt.	10W-40 Synthetic Blend FC-W
DF60A	2010	<b>18-7915-1</b>	16510-87J00	2.7 L / 3.0 Qt.	10W-40 Synthetic Blend FC-W
DF70A	2009 - 2010	<b>18-7896</b>	16510-61A20-MHL	4.2 L / 4.0 Qt.	10W-40 Synthetic Blend FC-W
DF80A	2009 - 2010	<b>18-7896</b>	16510-61A20-MHL	4.2 L / 4.0 Qt.	10W-40 Synthetic Blend FC-W
DF90A	2009 - 2010	<b>18-7896</b>	16510-61A20-MHL	4.2 L / 4.0 Qt.	10W-40 Synthetic Blend FC-W
DF90	2001 - 2008	<b>18-7896</b>	16510-61A20-MHL	5.5 L / 5.8 Qt.	10W-40 Synthetic Blend FC-W
DF115	2001 - 2010	<b>18-7896</b>	16510-61A20-MHL	5.5 L / 5.8 Qt.	10W-40 Synthetic Blend FC-W
DF140	2002 - 2010	<b>18-7897</b>	16510-82703	5.5 L / 5.8 Qt.	10W-40 Synthetic Blend FC-W
DF150-DF175	2006 - 2010	<b>18-7905</b>	16510-96J00	8.0 L / 8.5 Qt.	10W-40 Synthetic Blend FC-W
DF200 / DF225 / DF250	2004 - 2010	<b>18-7905</b>	16510-96J00	8.0 L / 8.5 Qt.	10W-40 Synthetic Blend FC-W
DF300	2007 - 2010	<b>18-7905</b>	16510-96J00	8.0 L / 8.5 Qt.	10W-40 Synthetic Blend FC-W

### Volvo Gasoline

Model	Cylinders	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
230 A/B	4	1989 - 1993	<b>18-7878-1</b>	3517857	4.5L / 4.75 Qt.	10W-40 FC-W
250 A/B	4	1989 - 1993	<b>18-7878-1</b>	3517857	4.5L / 4.75 Qt.	10W-40 FC-W
251A	4	1989 - 1992	<b>18-7878-1</b>	3517857	4.5L / 4.75 Qt.	10W-40 FC-W
3.0L	4	1993 - Current	<b>18-7824</b>	835440	3.8L / 4.0 Qt.	Synthetic SAE 30 (1)
AQ100	4	1961 - 1963	<b>18-7878-1</b>	3517857	3.8L / 4.0 Qt.	10W-40 FC-W
AQ110	4	1963 - 1966	<b>18-7878-1</b>	3517857	3.8L / 4.0 Qt.	10W-40 FC-W
AQ115 A/B	4	1969 - 1975	<b>18-7878-1</b>	3517857	3.8L / 4.0 Qt.	10W-40 FC-W
AQ120 A/B	4	1966 - 1980	<b>18-7878-1</b>	3517857	3.8L / 4.0 Qt.	10W-40 FC-W
AQ125 A/B	4	1981 - 1985	<b>18-7878-1</b>	3517857	4.2L / 4.5 Qt.	10W-40 FC-W
AQ130 A/B/C/D	4	1968 - 1977	<b>18-7878-1</b>	3517857	3.8L / 4.0 Qt.	10W-40 FC-W

All listed oil capacities are approximate amounts only and may or may not include the oil filter capacity.  
**ALWAYS** follow proper crankcase drain and fill procedures. Check engine dipstick for proper crankcase oil level.

Continued Next Page



## OIL FILTER QUICK-REFERENCE GUIDE

CAPACITY CHARTS

### Volvo Gasoline - Continued

Model	Cylinders	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
AQ131 A/B/C/D	4	1985 - 1989	<b>18-7878-1</b>	3517857	3.8L / 4.0 Qt.	10W-40 FC-W
AQ140A	4	1975 - 1979	<b>18-7878-1</b>	3517857	3.8L / 4.0 Qt.	10W-40 FC-W
AQ145 A/B	4	1979 - 1985	<b>18-7878-1</b>	3517857	4.2L / 4.5 Qt.	10W-40 FC-W
AQ151 A/B/C	4	1985 - 1989	<b>18-7878-1</b>	3517857	3.8L / 4.0 Qt.	10W-40 FC-W
AQ170 A/B/C	4	1969 - 1980	<b>18-7878-1</b>	3517857	3.8L / 4.0 Qt.	10W-40 FC-W
AQ171 A/C	4	1986 - 1989	<b>18-7878-1</b>	3517857	3.8L / 4.0 Qt.	10W-40 FC-W
AQ60F	4	1962 - 1968	<b>18-7878-1</b>	3517857	Check Owners Manual	10W-40 FC-W
AQ90	4	1962 - 1964	<b>18-7878-1</b>	3517857	3.8L / 4.0 Qt.	10W-40 FC-W
AQ95 /A	4	1964 - 1966	<b>18-7878-1</b>	3517857	3.8L / 4.0 Qt.	10W-40 FC-W
BB100	4	1963 - 1969	<b>18-7878-1</b>	3517857	Check Owners Manual	10W-40 FC-W
BB115 A/B/C	4	1969 - 1977	<b>18-7878-1</b>	3517857	Check Owners Manual	10W-40 FC-W
BB140A	4	1975 - 1979	<b>18-7878-1</b>	3517857	Check Owners Manual	10W-40 FC-W
BB145A	4	1979 - 1985	<b>18-7878-1</b>	3517857	Check Owners Manual	10W-40 FC-W
BB165A	4	1965 - 1969	<b>18-7878-1</b>	3517857	Check Owners Manual	10W-40 FC-W
BB170 A/B/C	4	1969 - 1978	<b>18-7878-1</b>	3517857	Check Owners Manual	10W-40 FC-W
BB30	4	1963 - 1969	<b>18-7878-1</b>	3517857	Check Owners Manual	10W-40 FC-W
MB10A	4	1971 - 1977	<b>18-7878-1</b>	3517857	Check Owners Manual	10W-40 FC-W
MB20 A/B/C	4	1969 - 1980	<b>18-7878-1</b>	3517857	Check Owners Manual	10W-40 FC-W
4.3L	V6	1993 - 2006	<b>18-7879</b>	841750	4.2L / 4.5 Qt.	Synthetic SAE 30 (1)
4.3L	V6	2007 - Current	<b>18-8003</b>	8692305	4.7L / 5.0 Qt.	Synthetic SAE 30 (1)
430 A/B	V6	1990 - 1992	<b>18-7879</b>	841750	4.2L / 4.5 Qt.	10W-40 FC-W
431 A/B	V6	1989 - 1992	<b>18-7879</b>	841750	4.2L / 4.5 Qt.	10W-40 FC-W
432A/B	V6	1992 - 1998	<b>18-7879</b>	841750	4.2L / 4.5 Qt.	10W-40 FC-W
434A/B	V6	1992 - 1997	<b>18-7879</b>	841750	4.2L / 4.5 Qt.	10W-40 FC-W
AQ175A	V6	1981 - 1985	<b>18-7879</b>	841750	6.0L / 6.5 Qt	10W-40 FC-W
AQ205A	V6	1988 - 1989	<b>18-7879</b>	841750	6.0L / 6.5 Qt	10W-40 FC-W
5.0L (Ford)	V8	1993 - 1999	<b>18-7875</b>	835779	5.7L / 6.0 Qt.	Synthetic SAE 30 (1)
5.0L (GM)	V8	1997 - 2006	<b>18-7824</b>	835440	5.7L / 6.0 Qt.	Synthetic SAE 30 (1)
5.0L (GM)	V8	2007 - Current	<b>18-8003</b>	8692305	5.2L / 5.5 Qt.	Synthetic SAE 30 (1)
5.7L	V8	1993 - 2006	<b>18-7824</b>	835440	5.7L / 6.0 Qt.	Synthetic SAE 30 (1)
5.7L	V8	2007 - Current	<b>18-8003</b>	8692305	5.2L / 5.5 Qt.	Synthetic SAE 30 (1)
5.8L	V8	1993 - 1996	<b>18-7875</b>	835779	5.7L / 6.0 Qt.	Synthetic SAE 30 (1)
500 A/B	V8	1989 - 1993	<b>18-7824</b>	835440	5.7L / 6.0 Qt.	10W-40 FC-W
501 A/B	V8	1989 - 1993	<b>18-7824</b>	835440	5.7L / 6.0 Qt.	10W-40 FC-W
570 A/MS4A	V8	1989 - 1993	<b>18-7824</b>	835440	5.7L / 6.0 Qt.	10W-40 FC-W
571A	V8	1989 - 1992	<b>18-7824</b>	835440	5.7L / 6.0 Qt.	10W-40 FC-W
572A	V8	1991 - 1993	<b>18-7824</b>	835440	5.7L / 6.0 Qt.	10W-40 FC-W
7.4L	V8	1993 - 2000	<b>18-7876</b>	3850559	6.6L / 7.0 Qt.	Synthetic SAE 30 (1)
740 A/B	V8	1992 - 1993	<b>18-7876</b>	3850559	6.6L / 7.0 Qt.	10W-40 FC-W
8.1L	V8	1999 - 2006	<b>18-7824</b>	835440	8.0L / 8.5 Qt.	Synthetic SAE 30 (1)
8.1L	V8	2007 - Current	<b>18-8003</b>	8692305	8.0L / 8.5 Qt.	Synthetic SAE 30 (1)
8.2L	V8	1993 - 2000	<b>18-7876</b>	3850559	6.6L / 7.0 Qt.	Synthetic SAE 30 (1)
AQ190A	V8	1976 - 1977	<b>18-7875</b>	835779	4.0L / 4.2 Qt.	10W-40 FC-W
AQ211A	V8	1986 - 1989	<b>18-7824</b>	835440	4.0L / 4.2 Qt.	10W-40 FC-W
AQ225 B/C/D/E/F	V8	1973 - 1976	<b>18-7824</b>	835440	4.4L / 4.7 Qt.	10W-40 FC-W
AQ231A	V8	1986 - 1989	<b>18-7824</b>	835440	4.4L / 4.7 Qt.	10W-40 FC-W
AQ231B	V8	1987 - 1989	<b>18-7824</b>	835440	4.4L / 4.7 Qt.	10W-40 FC-W
AQ240A	V8	1976 - 1977	<b>18-7875</b>	835779	4.4L / 4.7 Qt.	10W-40 FC-W
AQ255 A/B	V8	1977 - 1978	<b>18-7824</b>	835440	5.7L / 6.0 Qt.	10W-40 FC-W
AQ260 A/B	V8	1979 - 1986	<b>18-7824</b>	835440	5.7L / 6.0 Qt.	10W-40 FC-W
AQ271 A/B/C/D	V8	1986 - 1989	<b>18-7824</b>	835440	5.4L / 5.7 Qt.	10W-40 FC-W
AQ280A	V8	1978 - 1979	<b>18-7824</b>	835440	5.4L / 5.7 Qt.	10W-40 FC-W
AQ290A	V8	1979 - 1985	<b>18-7824</b>	835440	5.4L / 5.7 Qt.	10W-40 FC-W
AQ311 A/B	V8	1986 - 1987	<b>18-7824</b>	835440	5.4L / 5.7 Qt.	10W-40 FC-W
BB225 A/B/C	V8	1973 - 1977	<b>18-7824</b>	835440	4.4L / 4.7 Qt.	10W-40 FC-W

All listed oil capacities are approximate amounts only and may or may not include the oil filter capacity. ALWAYS follow proper crankcase drain and fill procedures. Check engine dipstick for proper crankcase oil level.



## OIL FILTER QUICK-REFERENCE GUIDE



### Volvo Gasoline - Continued

Model	Cylinders	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
BB231A	V8	1987	<b>18-7824</b>	835440	4.4L / 4.7 Qt.	10W-40 FC-W
BB260 A/B/C	V8	1978 - 1987	<b>18-7824</b>	835440	5.7L / 6.0 Qt.	10W-40 FC-W
BB261A	V8	1988 - 1989	<b>18-7824</b>	835440	5.7L / 6.0 Qt.	10W-40 FC-W

### Volvo Diesel

Model	Cylinders	Year	Oil Filter	Replaces	Crankcase Capacity See Notes	Recommended Oil
2001 / B	1	1984 - 1993	<b>18-7884</b>	834337	1.4L / 1.5 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
MD1B	1	1970 - 1973	<b>18-7884</b>	834337	1.5L / 1.8 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
MD5A / B / C	1	1975 - 1982	<b>18-7884</b>	834337	2.0L / 2.10 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
2002 / B	2	1983 - 1993	<b>18-7884</b>	834337	2.75L / 2.9 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
AQD2B	2	1972 - 1975	<b>18-7884</b>	834337	See Owners Manual	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
MD11C / D	2	1975 - 1983	<b>18-7884</b>	834337	2.6L / 2.7 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
MD2	2	1964 - 1967	<b>18-7884</b>	834337	See Owners Manual	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
MD2B	2	1970 - 1975	<b>18-7884</b>	834337	2.6L / 2.7 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
MD6A / B	2	1971 - 1976	<b>18-7884</b>	834337	2.8L / 2.9 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
MD7A / B	2	1976 - 1983	<b>18-7884</b>	834337	2.8L / 2.9 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
2003 / B / TB	3	1983 - 1993	<b>18-7884</b>	834337	4.1L / 4.3 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
MD17C / D	3	1975 - 1984	<b>18-7884</b>	834337	4.2L / 4.4 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
MD3B	3	1971 - 1975	<b>18-7884</b>	834337	4.8L / 5.8 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
AD31A / L-A / P-A / D / X	4	1986 - 2004	<b>18-7878-1</b>	3517857	8.5L / 9.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
AQAD30A	4	1983 - 1986	<b>18-7878-1</b>	3517857	8.5L / 9.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
AQAD31A	4	1986 - 1989	<b>18-7878-1</b>	3517857	8.5L / 9.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
AQD21A / B	4	1969 - 1981	<b>18-7974</b>	3827069	5.5L / 5.8 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D4-180iB / C / D / E	4	2005 - Current	<b>18-0035</b>	3582732 Full Flow	12.5L / 13.2 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D4-180iB / C / D / E	4	2005 - Current	<b>18-0036</b>	3582732 Bypass	12.5L / 13.2 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D4-210A-A / A-B	4	2003 - 2006	<b>18-0035</b>	3582732 Full Flow	12.5L / 13.2 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D4-210A-A / B	4	2003 - 2006	<b>18-0036</b>	3582732 Bypass	12.5L / 13.2 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D4-210i-A / B	4	2003 - 2006	<b>18-0035</b>	3582732 Full Flow	12.5L / 13.2 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D4-210i-A / B	4	2003 - 2006	<b>18-0036</b>	3582732 Bypass	12.5L / 13.2 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D4-225A-B	4	2005 - 2008	<b>18-0035</b>	3582732 Full Flow	12.5L / 13.2 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D4-225A-B	4	2005 - 2008	<b>18-0036</b>	3582732 Bypass	12.5L / 13.2 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D4-225i-B	4	2005 - 2008	<b>18-0035</b>	3582732 Full Flow	12.5L / 13.2 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D4-225i-B	4	2005 - 2008	<b>18-0036</b>	3582732 Bypass	12.5L / 13.2 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D4-260A-A / A-B / D-B	4	2004 - 2008	<b>18-0036</b>	3582732 Bypass	12.5L / 13.2 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D4-260A-A / A-B / D-B(IPS)	4	2004 - 2008	<b>18-0035</b>	3582732 Full Flow	12.5L / 13.2 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D4-260i-A / B	4	2004 - 2008	<b>18-0035</b>	3582732 Full Flow	12.5L / 13.2 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D4-260i-A / B	4	2004 - 2008	<b>18-0036</b>	3582732 Bypass	12.5L / 13.2 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D4-300A-A / A-E / D-A	4	2007 - Current	<b>18-0035</b>	3582732 Full Flow	12.5L / 13.2 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D4-300A-A / A-E / D-A	4	2007 - Current	<b>18-0036</b>	3582732 Bypass	12.5L / 13.2 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D4-300i-A / C / D	4	2007 - 2010	<b>18-0035</b>	3582732 Full Flow	12.5L / 13.2 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D4-300i-A / C / D	4	2007 - 2010	<b>18-0036</b>	3582732 Bypass	12.5L / 13.2 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
KAD32P	4	1997 - 2005	<b>18-7926</b>		8.5L / 9.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
MD21A / B	4	1969 - 1981	<b>18-7974</b>	3827069	5.5L / 5.8 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
MD30A	4	1983 - 1986	<b>18-7878-1</b>	3517857	8.5L / 9.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
MD31A	4	1986 - 1994	<b>18-7878-1</b>	3517857	8.5L / 9.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD30A	4	1983 - 1986	<b>18-7878-1</b>	3517857	8.5L / 9.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD31B / D / PL	4	1989 - 2003	<b>18-7878-1</b>	3517857	8.5L / 9.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TMD30A	4	1983 - 1986	<b>18-7878-1</b>	3517857	8.5L / 9.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TMD31A / B / D	4	1986 - 1994	<b>18-7878-1</b>	3517857	8.5L / 9.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TMD31L-A	4	1994 - 1997	<b>18-7878-1</b>	3517857	8.5L / 9.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D3-110i-A / B / C	5	2004 - 2006	<b>18-8003</b>	8692305	5.65L / 6.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D3-130A-A / A-B	5	2005 - 2006	<b>18-8003</b>	8692305	5.65L / 6.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D3-130i-A / B / C	5	2004 - 2006	<b>18-8003</b>	8692305	5.65L / 6.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D3-160A-A / A-B / A-C	5	2004 - 2006	<b>18-8003</b>	8692305	5.65L / 6.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher

All listed oil capacities are approximate amounts only and may or may not include the oil filter capacity.  
 ALWAYS follow proper crankcase drain and fill procedures. Check engine dipstick for proper crankcase oil level.

Continued Next Page



### Volvo Diesel - Continued

Model	Cylinders	Year	Oil Filter	Replaces	Crankcase Capacity See Notes	Recommended Oil
D3-160i-A / B / C	5	2004 - 2006	<b>18-8003</b>	8692305	5.65L / 6.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D3-190A-B	5	2005 - 2007	<b>18-8003</b>	8692305	5.65L / 6.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D3-190i-B / C	5	2005 - Current	<b>18-8003</b>	8692305	5.65L / 6.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
AQD70B / C	6	1972 - 1978	<b>18-7926</b>	423135	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D11A-A / B / C / D	6	2007 - Current	<b>18-0033</b>	478736	38L / 10 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D11A-A / B / C / D	6	2007 - Current	<b>18-0034</b>	477556	38L / 10 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D11A-C (IPS) / D11A-D (IPS)	6	2009 - Current	<b>18-0033</b>	478736	38L / 10 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D11A-C (IPS) / D11A-D (IPS)	6	2009 - Current	<b>18-0034</b>	477556	38L / 10 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D12D-AMP / B / C / E / F / G / H	6	1999 - 2009	<b>18-0033</b>	478736	44L / 11.62 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D12D-AMG / EMG (Gen Set)	6	2002 - 2008	<b>18-0034</b>	477556	44L / 11.62 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D12D-AMH / B / C / E / G	6	2002 - 2008	<b>18-0033</b>	478736	44L / 11.62 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D13AMP / B / C / G / H	6	2009 - Current	<b>18-0033</b>	478736	45L / 11.89 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D13AMP / B / C / G / H	6	2009 - Current	<b>18-0034</b>	477556	45L / 11.89 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D16C-AMG / B / C (Gen Set)	6	2006 - 2009	<b>18-0034</b>	477556	49L / 13 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D16C-AMH / B / C	6	2006 - 2009	<b>18-0033</b>	478736	49L / 13 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D6-280A-A / A-B / A-C / A-D	6	2004 - 2010	<b>18-0035</b>	3582732 Full Flow	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D6-280i-A / B	6	2004 - 2008	<b>18-0035</b>	3582732 Full Flow	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D6-280i-A / B	6	2004 - 2008	<b>18-0036</b>	3582733 Bypass	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D6-310i-A / B / C / D	6	2003 - 2010	<b>18-0035</b>	3582732 Full Flow	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D6-310i-A / B / C / D	6	2003 - 2010	<b>18-0036</b>	3582733 Bypass	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D6-330A-B / D-B	6	2004 - 2008	<b>18-0035</b>	3582732 Full Flow	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D6-330A-B / D-B	6	2004 - 2008	<b>18-0036</b>	3582733 Bypass	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D6--330i-B / C / D	6	2007 - 2010	<b>18-0035</b>	3582732 Full Flow	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D6--330i-B / C / D	6	2007 - 2010	<b>18-0036</b>	3582733 Bypass	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D6-370A-B / A-C / A-D / D-B / D-C / D-D	6	2007 - 2010	<b>18-0035</b>	3582732 Full Flow	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D6-370A-B / A-C / A-D / D-B / D-C / D-D	6	2007 - 2010	<b>18-0036</b>	3582733 Bypass	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D6-400A-E	6	2011 - Current	<b>18-0035</b>	3582732 Full Flow	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D6-400A-E	6	2011 - Current	<b>18-0036</b>	3582733 Bypass	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D6-435D-C / D-D / D-E	6	2006 - Current	<b>18-0035</b>	3582732 Full Flow	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D6-435D-C / D-D / D-E	6	2006 - Current	<b>18-0036</b>	3582733 Bypass	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D6-435i-A / C / D / E	6	2006 - Current	<b>18-0035</b>	3582732 Full Flow	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D6-435i-A / C / D / E	6	2006 - Current	<b>18-0036</b>	3582733 Bypass	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D9A2A	6	2004 - 2006	<b>18-0033</b>	478736	31L / 32.75 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
D9A2A MG (Gen Set)	6	2004 - Current	<b>18-0033</b>	478736	31L / 32.75 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
KAD300-A	6	2001 - 2005	<b>18-7926</b>		11L / 11.6 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
KAD42B/P/PA	6	1993 - 1997	<b>18-7926</b>		10.5L / 11.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
KAD43P-A	6	1997 - 2005	<b>18-7926</b>		10.5L / 11.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
KAD44P-A/B/C	6	1997 - 2004	<b>18-7926</b>		11L / 11.6 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
KAMD300-A	6	2001 - 2004	<b>18-7926</b>		11L / 11.6 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
KAMD42A/B/P/PA	6	1991 - 1997	<b>18-7926</b>		10.5L / 11.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
KAMD43P-A	6	1997 - 2005	<b>18-7926</b>		10.5L / 11.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
KAMD44P-B/C	6	1999 - 2004	<b>18-7926</b>		11L / 11.6 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
MD100A/B	6	1965 - 1984	<b>18-7926</b>		50L / 13.21 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
MD120A/B	6	1970 - 1980	<b>18-7926</b>		50L / 13.21 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
MD32A	6	1970 - 1977	<b>18-7974</b>	3827069	8L / 8.4 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
MD70B	6	1970 - 1978	<b>18-7926</b>		15L / 16 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD102A (Long Filter)	6	1991 - 2000	<b>18-0033</b>	478736	50L / 13.21 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD102A / D (Short Filter)	6	1991 - 2000	<b>18-0032</b>	847741	50L / 13.21 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD103A-A (Long Filter)	6	2000 - 2004	<b>18-0033</b>	478736	50L / 13.2 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD103A-A, AUX (Short Filter)	6	2000 - 2004	<b>18-0032</b>	847741	50L / 13.2 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD120A / B	6	1972 - 1983	<b>18-7926</b>		50L / 13.2 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher

All listed oil capacities are approximate amounts only and may or may not include the oil filter capacity.  
ALWAYS follow proper crankcase drain and fill procedures. Check engine dipstick for proper crankcase oil level.

## OIL FILTER QUICK-REFERENCE GUIDE



### Volvo Diesel - Continued

Model	Cylinders	Year	Oil Filter	Replaces	Crankcase Capacity See Notes	Recommended Oil
TAMD122D	6	1989 - 1996	<b>18-0032</b>	847741	50L / 13.2 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD122P-A, B, C	6	1995 - 2002	<b>18-0033</b>	478736	50L / 13.2 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD162A / B / C	6	1988 - 1996	<b>18-0033</b>	478736	73L / 19.3 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD162C-C	6	1999 - 2001	<b>18-0033</b>	478736	Refer to Owners Manual	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD163A-A / PA	6	1994 - 2001	<b>18-0033</b>	478736	73L / 19.3 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD165A-A / C-A / P-A	6	2002 - 2005	<b>18-0033</b>	478736	73L / 19.3 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD40A / B	6	1980 - 1986	<b>18-7926</b>	423135	10.5L / 11.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD41A/B/D	6	1986 - 1994	<b>18-7926</b>	423135	10.5L / 11.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD42 B/WJ-A	6	1993 - 2003	<b>18-7926</b>	423135	10.5L / 11.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD60A/B/C	6	1976 - 1987	<b>18-7926</b>	423135	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD61A	6	1986 - 1999	<b>18-0032</b>	847741	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD62A	6	1992 - 1994	<b>18-0032</b>	847741	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD63LA, 63PA	6	1994 - 2005	<b>18-7974</b>	3827069	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD63P-A	6	1994 - 2005	<b>18-0032</b>	847741	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD70B/C	6	1970 - 1978	<b>18-7926</b>	423135	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD71A	6	1986 - 1994	<b>18-0032</b>	847741	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD71B	6	1989 - 2000	<b>18-1974</b>	3827069	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD72A	6	1991 - 1994	<b>18-0032</b>	847741	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD72P-A	6	1995 - 1997	<b>18-0032</b>	847741	27L / 7.1 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD72WJ-A	6	1993 - 1997	<b>18-0032</b>	847741	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD73P-A/WJ-A	6	1997 - 1999	<b>18-7926</b>	423135	28L / 7.4 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD74A	6	2000 - 2001	<b>18-0032</b>	847741	29L / 7.7 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD74A-A / A-B / P-B	6	2000 - 2005	<b>18-7926</b>		24L / 6.3 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD74C-A, B	6	2000 - 2001	<b>18-0032</b>	847741	25L / 6.6 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD74L-A, B	6	2000 - 2005	<b>18-0032</b>	847741	25L / 6.6 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD74P-A, B	6	1998 - 2005	<b>18-0032</b>	847741	25L / 6.6 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TAMD75P-A	6	1998 - 2005	<b>18-7926</b>		24L / 6.3 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
THAMD70B/C	6	1972 - 1979	<b>18-7926</b>		24L / 6.3 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TMD100A	6	1965 - 1983	<b>18-7926</b>		50L / 13.2 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TMD102A	6	1988 - 2000	<b>18-0033</b>	478736	50L / 13.2 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TMD120A/B	6	1970 - 1983	<b>18-7878-1</b>	3517857	50L / 13.2 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TMD41B	6	1989 - 1993	<b>18-7926</b>		8.5L / 9 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TMD41L-A	6	1994 - 1997	<b>18-7926</b>		10.5L / 11.0 Qt.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher
TMD70B/C	6	1972 - 1985	<b>18-0032</b>	847741	20L / 5.28 Gal.	15W-40 VDS-2 or VDS-3 / API CI-4 or higher

### Westerbeke

Model	Cylinders	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
<b>Propulsion Engines</b>						
11A One	1	2001 - Current	<b>23-7800</b>	036918	1.6L / 1.7 Qt.	SAE 10W-30
12B Two	2	1983 - 1992	<b>23-7800</b>	036918	2.8L / 3.0 Qt.	SAE 10W-30
12C Two	2	1992 - Current	<b>23-7800</b>	036918	2.8L / 3.0 Qt.	SAE 10W-30
12D Two	2	Current	<b>23-7800</b>	036918	2.8L / 3.0 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
20B Two	2	1987 - Current	<b>23-7800</b>	036918	2.8L / 3.0 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
W13	2	1980 - 1984	<b>23-7800</b>	036918	2.8L / 3.0 Qt.	SAE 10W-30
W13A	2	1984 - 1988	<b>23-7800</b>	036918	2.8L / 3.0 Qt.	SAE 10W-30
30B Three	3	1987 - Current	<b>23-7800</b>	036918	2.8L / 3.0 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
30C Three	3	Current	<b>23-7800</b>	036918	2.8L / 3.0 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
35B Three	3	1987 - 2000	<b>23-7800</b>	036918	4.5L / 4.75 Qt.	SAE 10W-30
35C Three	3	2000 - 2002	<b>23-7800</b>	036918	4.5L / 4.75 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
35D Three	3	2002 - Current	<b>23-7800</b>	036918	4.5L / 4.75 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
35E Three	3	Current	<b>23-7800</b>	036918	4.5L / 4.75 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
W18	3	1985 - 1989	<b>23-7800</b>	036918	3.78L / 4.0 Qt.	SAE 10W-30
W21	3	1980 - 1984	<b>23-7800</b>	036918	3.78L / 4.0 Qt.	SAE 10W-30
W21A	3	1984 - 1987	<b>23-7800</b>	036918	3.78L / 4.0 Qt.	SAE 10W-30

All listed oil capacities are approximate amounts only and may or may not include the oil filter capacity.  
**ALWAYS** follow proper crankcase drain and fill procedures. Check engine dipstick for proper crankcase oil level.

**Continued Next Page**



## OIL FILTER QUICK-REFERENCE GUIDE

### Westerbeke - Continued

Model	Cylinders	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
38B Four	4	1987 - 2001	<b>23-7825</b>	035828	4.5L / 4.75 Qt.	SAE 10W-30
42B Four	4	1987 - 1999	<b>23-7825</b>	035828	4.5L / 4.75 Qt.	SAE 10W-30
44A Four	4	1999 - 2002	<b>23-7800</b>	036918	4.5L / 4.75 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
44B Four	4	2002 - Current	<b>23-7800</b>	036918	4.5L / 4.75 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
44C Four	4	Current	<b>23-7800</b>	036918	4.5L / 4.75 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
55A Four	4	1995 - 2002	<b>23-7825</b>	035828	5.0L / 5.28 Qt.	SAE 30 CF
55B Four	4	2002 - 2005	<b>23-7800</b>	036918	7.6L / 8.0 Qt.	SAE 30 CF
55C Four	4	2005 - Current	<b>23-7800</b>	036918	7.6L / 8.0 Qt.	SAE 30 CF
55D Four	4	Current	<b>23-7800</b>	036918	7.6L / 8.0 Qt.	SAE 30 CF
63B Four	4	1990 - 1994	<b>23-7825</b>	035828	11.3L / 12 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
63C Four	4	1994 - 2000	<b>23-7825</b>	035828	11.3L / 12 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
63D Four	4	2001 - 2003	<b>23-7825</b>	035828	5.0L / 5.28 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
64A Four	4	2003 - Current	<b>23-7826</b>	040154	6.15L / 6.5 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
71B Four	4	1991 - 1994	<b>23-7825</b>	035828	11.3L / 12 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
71C Four	4	1994 - Current	<b>23-7826</b>	040154	11.3L / 12 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
82B Four	4	1991 - Current	<b>23-7826</b>	040154	11.3L / 12 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
90A Four	4	1999 - Current	<b>23-7826</b>	040154	6.0L / 6.3 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
W27	4	1980 - 1984	<b>23-7800</b>	036918	3.78L / 4.0 Qt.	SAE 10W-30
W27A	4	1984 - 1988	<b>23-7800</b>	036918	3.78L / 4.0 Qt.	SAE 10W-30
W33	4	1980 - 1984	<b>23-7825</b>	035828	3.78L / 4.0 Qt.	SAE 10W-30
W33A	4	1984 - 1988	<b>23-7825</b>	035828	3.78L / 4.0 Qt.	SAE 10W-30
W41G	4	1986 - 1993	<b>23-7800</b>	036918	-	-
W46	4	1985 - 1990	<b>23-7825</b>	035828	6.15L / 6.5 Qt.	SAE 10W-30
W70	4	1982 - 1991	<b>23-7826</b>	040154	6.15L / 6.5 Qt.	SAE 10W-30
W70G	4	1988 - 2001	<b>23-7800</b>	036918	-	-
W70GA	4	2003 - Current	<b>23-7800</b>	036918	-	-
108B Six	6	1991 - 1994	<b>23-7826</b>	040154	11.3L / 12 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
108C Six	6	1994 - Current	<b>23-7826</b>	040154	11.3L / 12 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
W100	6	1982 - 1991	<b>23-7826</b>	040154	11.3L / 12 Qt.	-

### Westerbeke

Model	Cylinders	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
<b>Gen Set (All models are 60hz. USA / North American)</b>						
10.0 BTD	3	1984 - 2000	<b>23-7800</b>	036918	3.3 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
10.0 BTDA	3	2000 - Current	<b>23-7800</b>	036918	3.8L / 4.0 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
10.0 EDT D-NET	3	-	<b>23-7800</b>	036918	3.8L / 4.0 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
10.0 SBEG Low-CO	4	2005 - Current	<b>23-7800</b>	036918	3.5 Qt.	SAE 10W-30
11.0 TWG	4	1984 - 1987	<b>23-7800</b>	036918	-	SAE 10W-30
11.0 WMD	4	1980 - 1987	<b>23-7800</b>	036918	6.15 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
11.5 BTD	3	-	<b>23-7800</b>	036918	4.7L / 5.0 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
11.5 EDT D-NET	3	-	<b>23-7800</b>	036918	4.7L / 5.0 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
12.06 EDT D-NET	3	-	<b>23-7800</b>	036918	4.7L / 5.0 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
12.5 BEG	4	2002 - Current	<b>23-7800</b>	036918	3.5 Qt.	SAE 10W-30
12.5 BTDB	4	-	<b>23-7800</b>	036918	5.2L / 5.5 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
12.5 BTG	4	1987 - 2001	<b>23-7800</b>	036918	3.8L / 4.0 Qt.	SAE 10W-30
12.5 BTGA	4	2001 - 2002	<b>23-7800</b>	036918	-	SAE 10W-30
12.5 EDT D-NET	4	-	<b>23-7800</b>	036918	5.2L / 5.5 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
12.5 SBEG Low-CO	4	2005 - Current	<b>23-7800</b>	036918	3.5 Qt.	SAE 10W-30
12.6 BTD	3	2002 - Current	<b>23-7800</b>	036918	3.8L / 4.0 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
14.0 SBEG Low-CO	4	2005 - Current	<b>23-7800</b>	036918	3.5 Qt.	SAE 10W-30
15.0 BEG	4	2002 - Current	<b>23-7800</b>	036918	3.5 Qt.	SAE 10W-30
15.0 BTDC	4	2000 - Current	<b>23-7800</b>	036918	5.2L / 5.5 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
15.0 BTG	4	1987 - 2001	<b>23-7800</b>	036918	3.8L / 4.0 Qt.	SAE 10W-30
15.0 EDT D-NET	4	-	<b>23-7800</b>	036918	5.2L / 5.5 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
20.0 BEG	4	1995 - 2004	<b>23-7800</b>	036918	4.5 Qt.	SAE 10W-30

All listed oil capacities are approximate amounts only and may or may not include the oil filter capacity. ALWAYS follow proper crankcase drain and fill procedures. Check engine dipstick for proper crankcase oil level.

# OIL FILTER QUICK-REFERENCE GUIDE



**Westerbeke - Continued**

Model	Cylinders	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
20.0 BEGA	4	2004 - Current	<b>23-7800</b>	036918	-	SAE 10W-30
20.0 SBEG Low-CO	4	2005 - Current	<b>23-7800</b>	036918	4.5 Qt.	SAE 10W-30
20.0 SBEGA Low-CO	4	-	<b>23-7800</b>	036918	-	SAE 10W-30
22.5 SBEG Low-CO	4	2005 - Current	<b>23-7800</b>	036918	-	SAE 10W-30
22.5 SBEGA Low-CO	4	-	<b>23-7800</b>	036918	4.5 Qt.	SAE 10W-30
25.0 BEG	4	1999 - 2004	<b>23-7800</b>	036918	4.5 Qt.	SAE 10W-30
3.0 WMD	2	1982 - 1988	<b>23-7800</b>	036918	2.0 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
4.0 BCD (60 Hz.) ONLY	3	2002 - Current	<b>23-7800</b>	036918	3.05L / 3.2 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
4.0 BCDA 60Hz. ONLY	3	2008 - Current	<b>23-7800</b>	036918	3.05L / 3.2 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
4.4 BCD	2	1986 - 1989	<b>23-7800</b>	036918	2.4L / 2.5 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
4.4 WMD	2	1980 - 1986	<b>23-7800</b>	036918	2.4L / 2.5 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
4.5 BCG	3	1988 - 1997	<b>23-7800</b>	036918	2.8L / 3.0 Qt.	SAE 10W-30
4.5 BCGA	3	1997	<b>23-7800</b>	036918	2.4L / 2.5 Qt.	SAE 10W-30
4.5 BCGB	3	1999 - 2002	<b>23-7800</b>	036918	2.4L / 2.5 Qt.	SAE 10W-30
4.5 BCGTC	3	1997 - 2002	<b>23-7800</b>	036918	2.6L / 2.7 Qt.	SAE 10W-30
4.5 BCGTE	3	1997 - 2001	<b>23-7800</b>	036918	2.6L / 2.7 Qt.	SAE 10W-30
5.0 BCD	3	1989 - 1996	<b>23-7800</b>	036918	3.0L / 3.2 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
5.0 BCDA	3	1996	<b>23-7800</b>	036918	3.0L / 3.2 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
5.0 BCDB(60Hz)	3	1996 - Current	<b>23-7800</b>	036918	3.0L / 3.2 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
5.0 BCG low profile	3	2002 - Current	<b>23-7800</b>	036918	2.4L / 2.5 Qt.	SAE 40 SJ
5.0 BCGA	3	2002	<b>23-7800</b>	036918	2.4L / 2.5 Qt.	SAE 40 SJ
5.0 SBCG Low-CO	3	2005 - Current	<b>23-7800</b>	036918	2.8L / 3.0 Qt.	SAE 40 SJ
5.5 BCD	3	-	<b>23-7800</b>	036918	3.0L / 3.2 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
5.5 EDC D-NET	3	-	<b>23-7800</b>	036918	3.6L / 3.8 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
6.0 BCD	3	1986 - 1989	<b>23-7800</b>	036918	3.0L / 3.2 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
6.0 WMD	3	-	<b>23-7800</b>	036918	3.0L / 3.2 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
6.5 SBCG Low-CO	3	2005 - Current	<b>23-7800</b>	036918	2.8L / 3.0 Qt.	SAE 40 SJ
6.5 TWG	4	1984 - 1987	<b>23-7800</b>	036918	3.0L / 3.2 Qt.	SAE 10W-30
7.0 BCG / BCGA	3	1989 - 1997	<b>23-7800</b>	036918	2.8L / 3.0 Qt.	SAE 10W-30
7.0 BCGB	3	1999 - 2002	<b>23-7800</b>	036918	2.4L / 2.5 Qt.	SAE 10W-30
7.0 BCGC Low Profile	3	2002 - 2004	<b>23-7800</b>	036918	2.4L / 2.5 Qt.	SAE 40 SJ
7.0 BCGD Low Profile	3	2004 - Current	<b>23-7800</b>	036918	2.4L / 2.5 Qt.	SAE 40 SJ
7.2 BCGTC	3	1997 - 2002	<b>23-7800</b>	036918	2.6L / 2.7 Qt.	SAE 10W-30
7.2 BCGTE	3	1997 - 2001	<b>23-7800</b>	036918	2.6L / 2.7 Qt.	SAE 10W-30
7.6 BTD	3	1993 - Current	<b>23-7800</b>	036918	3.6L / 3.8 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
7.6 EDT D-NET	3	-	<b>23-7800</b>	036918	3.6L / 3.8 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
7.7 WMD	3	1980 - 1984	<b>23-7800</b>	036918	3.0L / 3.2 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
8.0 BCDT	2	2002 - 2004	<b>23-7800</b>	036918	2.9L / 3.1 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
8.0 BTD	3	1984 - 2000	<b>23-7800</b>	036918	3.0L / 3.2 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
8.0 BTDA	3	2000 - Current	<b>23-7800</b>	036918	3.0L / 3.2 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
8.0 EDT D-NET	3	-	<b>23-7800</b>	036918	3.8L / 4.0 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
8.0 SGEG Low-CO	4	2005 - Current	<b>23-7800</b>	036918	3.3L / 3.5 Qt.	SAE 10W-30
8.0 TWG	4	1983 - 1987	<b>23-7800</b>	036918	3.0L / 3.2 Qt.	SAE 10W-30
8.0 WMD	3	1980 - 1984	<b>23-7800</b>	036918	3.0L / 3.2 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
8.5 BTG	4	1987 - 1993	<b>23-7800</b>	036918	3.7L / 3.9 Qt.	SAE 10W-30
8.5 BTGA	4	1993 - 2002	<b>23-7800</b>	036918	3.8L / 4.0 Qt.	SAE 10W-30
9.6 BCGTC	3	1997 - 2002	<b>23-7800</b>	036918	2.6L / 2.7 Qt.	SAE 10W-30
9.6 BCGTE	3	-	<b>23-7800</b>	036918	2.6L / 2.7 Qt.	SAE 10W-30
11.0 BTD	4	1987 - 2001	<b>23-7825</b>	035828	4.0L / 4.2 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
12.5 BTDA	4	1988 - 2000	<b>23-7825</b>	035828	4.5L / 4.7 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
12.5 WMD	4	1980 - 1987	<b>23-7825</b>	035828	4.5L / 4.7 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
15.0 BTD	4	1987 - 1990	<b>23-7825</b>	035828	6.6L / 7.0 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
15.0 BTDA	4	1990 - 1994	<b>23-7825</b>	035828	5.0L / 5.3 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
15.0 BTDB	4	1994 - 2000	<b>23-7825</b>	035828	5.0L / 5.3 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
20.0 BED	4	1990 - 1995	<b>23-7825</b>	035828	6.15L / 6.5 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4

All listed oil capacities are approximate amounts only and may or may not include the oil filter capacity. ALWAYS follow proper crankcase drain and fill procedures. Check engine dipstick for proper crankcase oil level.

Continued Next Page

**Westerbeke - Continued**

Model	Cylinders	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
25.0 BED PTO	4	1992 - Current	<b>23-7826</b>	040154	6.15L / 6.5 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
25.0 WTA	4	1982 - 1985	<b>23-7826</b>	040154	6.0L / 6.3 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
32.0 BED	6	1993 - 1994	<b>23-7826</b>	040154	Refer to Owners Manual	15W-40 API CI-4, CI-4 Plus, CJ-4
32.0 BEDA	4	1994 - Current	<b>23-7826</b>	040154	6.0L / 6.3 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
32.0 BEDB	6	1994	<b>23-7826</b>	040154	11.3L / 12 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
20.0 BEDA	4	1995 - Current	<b>23-7826</b>	040154	6.15L / 6.5 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4
25.0 BED	4	1992 - Current	<b>23-7826</b>	040154	6.15L / 6.5 Qt.	15W-40 API CI-4, CI-4 Plus, CJ-4

**Yamaha**

Model	Year	Oil Filter	Replaces	Crankcase Capacity	Recommended Oil
F2.5	2003 - 2011	----		0.35 L / 0.35 Qt.	10W-30 FC-W
F4	1999 - 2011	----		0.50 L / 0.53 Qt.	10W-30 FC-W
F6, F/T8	2001 - 2011	----		0.80 L / 0.84 Qt.	10W-30 FC-W
T9.9 (Model 6G8)	1991 - 04/2005	<b>18-7901</b>	6G8-13440-00-00	1.0 L / 1.06 Qt.	10W-30 FC-W
F9.9 (Model 6G8)	1990 - 04/2005	<b>18-7901</b>	6G8-13440-00-00	1.0 L / 1.06 Qt.	10W-30 FC-W
T9.9 (Model 66R)	2005 - 04/2006	<b>18-7911-1</b>	5GH-13440-00-00	0.80 L / 0.84 Qt.	10W-30 FC-W
F9.9 (Model 66R)	2005 - 04/2006	<b>18-7911-1</b>	5GH-13440-00-00	0.80 L / 0.84 Qt.	10W-30 FC-W
F15	1998 - 1999	<b>18-7902</b>	3FV-13440-10-00	1.0 L / 1.06 Qt.	10W-30 FC-W
F15	2000 - 2006	<b>18-7911-1</b>	5GH-13440-00-00	1.8 L / 1.9 Qt.	10W-30 FC-W
F15C	2007 - 2012	<b>18-8700</b>	5GH-13440-20-00	1.8 L / 1.9 Qt.	10W-30 FC-W
F20	2007 - 2012	<b>18-8700</b>	5GH-13440-20-00	1.8 L / 1.9 Qt.	10W-30 FC-W
F25	1998 - 1999	<b>18-7902</b>	3FV-13440-10-00	1.7 L / 1.8 Qt.	10W-30 FC-W
F25 / T25	2000 - 04/2006	<b>18-7911-1</b>	5GH-13440-00-00	1.7 L / 1.8 Qt.	10W-30 FC-W
F25	2009 - Current	<b>18-8700</b>	5GH-13440-20-00	1.7 L / 1.8 Qt.	10W-30 FC-W
F30	2001 - 2006	<b>18-7911-1</b>	5GH-13440-00-00	2.0 L / 2.1 Qt.	10W-30 FC-W
F40	1999 - 2000	<b>18-7902</b>	3FV-13440-10-00	2.0 L / 2.1 Qt.	10W-30 FC-W
F40 / F40B (International)	2001 - 2008	<b>18-7911-1</b>	5GH-13440-00-00	2.0 L / 2.1 Qt.	10W-30 FC-W
F40A	2001 - Current	<b>18-8700</b>	5GH-13440-20-00	2.0 L / 2.1 Qt.	10W-30 FC-W
T50	1996 - 1999	<b>18-7902</b>	3FV-13440-10-00	2.0 L / 2.1 Qt.	10W-30 FC-W
T50	2000 - 2004	<b>18-7911-1</b>	5GH-13440-00-00	2.0 L / 2.1 Qt.	10W-30 FC-W
T50	2005 - Current	<b>18-8700</b>	5GH-13440-20-00	2.0 L / 2.1 Qt.	10W-30 FC-W
F50	1995 - 1999	<b>18-7902</b>	3FV-13440-10-00	2.0 L / 2.1 Qt.	10W-30 FC-W
F50	1999 - 2004	<b>18-7911-1</b>	5GH-13440-00-00	2.0 L / 2.1 Qt.	10W-30 FC-W
F50	2005 - Current	<b>18-8700</b>	5GH-13440-20-00	2.0 L / 2.1 Qt.	10W-30 FC-W
T60	1999 - 2004	<b>18-7911-1</b>	5GH-13440-00-00	2.0 L / 2.1 Qt.	10W-30 FC-W
T60	2005 - Current	<b>18-8700</b>	5GH-13440-20-00	2.0 L / 2.1 Qt.	10W-30 FC-W
F60	1999 - 2004	<b>18-7911-1</b>	5GH-13440-00-00	2.0 L / 2.1 Qt.	10W-30 FC-W
F60	2005 - Current	<b>18-8700</b>	5GH-13440-20-00	2.0 L / 2.1 Qt.	10W-30 FC-W
F70	All Years	<b>18-8700</b>	5GH-13440-20-00	2.0 L / 2.1 Qt.	10W-30 FC-W
F75	All Years	<b>18-7911-1</b>	5GH-13440-00-00	4.3 L / 4.5 Qt.	10W-30 FC-W
F80	1999	<b>18-7902</b>	3FV-13440-10-00	4.3 L / 4.5 Qt.	10W-30 FC-W
F80	2000 - Current	<b>18-7911-1</b>	5GH-13440-00-00	4.3 L / 4.5 Qt.	10W-30 FC-W
F90	All Years	<b>18-7911-1</b>	5GH-13440-00-00	4.3 L / 4.5 Qt.	10W-30 FC-W
F100	1999	<b>18-7902</b>	3FV-13440-10-00	4.3 L / 4.5 Qt.	10W-30 FC-W
F100	2000 - Current	<b>18-7911-1</b>	5GH-13440-00-00	4.3 L / 4.5 Qt.	10W-30 FC-W
F115	All Years	<b>18-7911-1</b>	5GH-13440-00-00	4.3 L / 4.5 Qt.	10W-30 FC-W
F150	2004 - Current	<b>18-7906-1</b>	69J-13440-01-00	5.4 L / 5.7 Qt.	10W-30 FC-W
F200 (3.3L)	All Years	<b>18-7906-1</b>	69J-13440-01-00	5.8 L / 6.13 Qt.	10W-30 FC-W
F200 (4.2L SHO)	2009 - Current	<b>18-7954</b>	N26-13440-00-00	7.1L / 7.5 Qt.	5W-30 FC-W Full Synthetic
F225 (3.3L)	All Years	<b>18-7906-1</b>	69J-13440-01-00	5.8 L / 6.13 Qt.	10W-30 FC-W
F225 (4.2L)	2009 - Current	18-7954	N26-13440-00-00	7.1L / 7.5 Qt.	10W-30 FC-W
F250 (3.3L)	All Years	18-7906-1	69J-13440-01-00	5.8 L / 6.13 Qt.	10W-30 FC-W
F250 (4.2L)	2009 - Current	18-7954	N26-13440-00-00	7.1L / 7.5 Qt.	10W-30 FC-W
F300 (V8)	2007 - Current	18-7954	N26-13440-00-00	8.0 L / 8.45 Qt.	10W-30 FC-W
F350 (V8)	2007 - Current	18-7954	N26-13440-00-00	8.0 L / 8.45 Qt.	10W-30 FC-W

All listed oil capacities are approximate amounts only and may or may not include the oil filter capacity.  
**ALWAYS** follow proper crankcase drain and fill procedures. Check engine dipstick for proper crankcase oil level.



## OIL FILTER QUICK-REFERENCE GUIDE



### Yanmar

Model	Cylinders	Year	Oil Filter	Replaces	Crankcase	Recommended Oil
1GM	1	1980 - 1983	18-7910 / 18-7910-1	124450-35100 119660-35150 119305-35151	1.6 Qt.	SAE 15W-40 CI-4 Refer to owners manual
1GM10	1	1983 - 2009	<b>18-7910 / 18-7910-1</b>	124450-35100 119660-35150 119305-35151	1.6 Qt.	SAE 15W-40 CI-4 Refer to owners manual
2GM	2	1980 - 1983	<b>18-7910 / 18-7910-1</b>	124450-35100 119660-35150 119305-35151	2.1 Qt.	SAE 15W-40 CI-4 Refer to owners manual
2GM20	2	1983 - 2005	<b>18-7910 / 18-7910-1</b>	124450-35100 119660-35150 119305-35151	2.1 Qt.	SAE 15W-40 CI-4 Refer to owners manual
2GM20-YEU (Serial No. Starts w/ E )	2	1997 - Current	<b>18-7910 / 18-7910-1</b>	119660-35150 119305-35151	2.1 Qt.	SAE 15W-40 CI-4 Refer to owners manual
2GM20F	2	1983 - 2005	<b>18-7910 / 18-7910-1</b>	124450-35100 119660-35150 119305-35151	2.1 Qt.	SAE 15W-40 CI-4 Refer to owners manual
2GMF	2	1980 - 1983	<b>18-7910 / 18-7910-1</b>	124450-35100 119660-35150 119305-35151	2.1 Qt.	SAE 15W-40 CI-4 Refer to owners manual
2QM15	2	1977 - 1980	<b>18-7910 / 18-7910-1</b>	124450-35100 119660-35150 119305-35151	2.1 Qt.	SAE 15W-40 CI-4 Refer to owners manual
2QM20 (Serial #81181 and Higher)	2	1975 - 1980	<b>18-7917</b>	124550-35110 124085-35113	2.1 Qt.	SAE 15W-40 CI-4 Refer to owners manual
2YM15	2	2004 - Current	<b>18-7910 / 18-7910-1</b>	119305-35151	2.1 Qt.	SAE 15W-40 CI-4 Refer to owners manual
3GM30	3	1983 - Current	<b>18-7910 / 18-7910-1</b>	124450-35100 119660-35150 119305-35151	2.7 Qt.	SAE 15W-40 CI-4 Refer to owners manual
3GM30-YEU (Serial No. Starts w/ E )	3	1997 - Current	<b>18-7910 / 18-7910-1</b>	119660-35150 119305-35151	2.7 Qt.	SAE 15W-40 CI-4 Refer to owners manual
3GM30F	3	1983 - 2005	<b>18-7910 / 18-7910-1</b>	124450-35100 119660-35150 119305-35151	2.7 Qt.	SAE 15W-40 CI-4 Refer to owners manual
3GM	3	1980 - 1983	<b>18-7910 / 18-7910-1</b>	124450-35100 119660-35150 119305-35151	2.7 Qt.	SAE 15W-40 CI-4 Refer to owners manual
3GMD	3	1980 - 1983	<b>18-7910 / 18-7910-1</b>	119660-35150 119305-35151	2.7 Qt.	SAE 15W-40 CI-4 Refer to owners manual
3GMF	3	1980 - 1983	<b>18-7910 / 18-7910-1</b>	124450-35100 119660-35150 119305-35151	2.7 Qt.	SAE 15W-40 CI-4 Refer to owners manual
3HM	3	1980 - 1983	<b>18-7917</b>	124550-35110 124085-35113		Refer to owners manual Refer to owners manual
3HM35	3	1983 - 1992	<b>18-7917</b>	124550-35110 124085-35113		SAE 15W-40 CI-4 Refer to owners manual
3HM35F	3	1983 - 1992	<b>18-7917</b>	124550-35110 124085-35113		SAE 15W-40 CI-4 Refer to owners manual
3HMF	3	1980 - 1983	<b>18-7917</b>	124550-35110 124085-35113		SAE 15W-40 CI-4 Refer to owners manual
3JH2TBE	3	1991-1999	<b>18-7910 / 18-7910-1</b>	119305-35151		SAE 15W-40 CI-4 Refer to owners manual
3JH2BE	3	1989-1999	<b>18-7910 / 18-7910-1</b>	119305-35151		SAE 15W-40 CI-4 Refer to owners manual
3JH2	3	1992-1999	<b>18-7910 / 18-7910-1</b>	119305-35151		SAE 15W-40 CI-4 Refer to owners manual
3JH3	3	1999 - 2004	<b>18-7910 / 18-7910-1</b>	119305-35150 119305-35151		SAE 15W-40 CI-4 Refer to owners manual

All listed oil capacities are approximate amounts only and may or may not include the oil filter capacity.  
ALWAYS follow proper crankcase drain and fill procedures. Check engine dipstick for proper crankcase oil level.

Continued Next Page



**Yanmar - Continued**

Model	Cylinders	Year	Oil Filter	Replaces	Crankcase	Recommended Oil
3JH3E-YEU	3	2004 - Current	<b>18-7910 / 18-7910-1</b>	119305-35150 119305-35151	5.2 Qt.	SAE 15W-40 CI-4 Refer to owners manual
3JH4E (40hp.)	3	2004 - Current	<b>18-7910 / 18-7910-1</b>	119305-35150 119305-35151		SAE 15W-40 CI-4 Refer to owners manual
3QM30	3	1976 - 1980	<b>18-7917</b>	124550-35110 124085-35113		SAE 15W-40 CI-4 Refer to owners manual
3QM30F	3	1976 - 1980	<b>18-7917</b>	124550-35110 124085-35113		SAE 15W-40 CI-4 Refer to owners manual
3YM20	3	2004 - Current	<b>18-7910 / 18-7910-1</b>	119305-35151	2.6 Qt.	SAE 15W-40 CI-4 Refer to owners manual
3YM30	3	2004 - Current	<b>18-7910 / 18-7910-1</b>	119305-35151	2.6 Qt.	SAE 15W-40 CI-4 Refer to owners manual



All listed oil capacities are approximate amounts only and may or may not include the oil filter capacity.  
**ALWAYS** follow proper crankcase drain and fill procedures. Check engine dipstick for proper crankcase oil level.